08

SOCKETS AND ACCESSORIES

Ratchet Handle, Socket, Extension Bar, Spark Plug Socket .....





Don't knock anything by ratchet handle!

The ergonomic features of series OMC optimised handles for increased comfort.The unified LOGO section,to achieve a better and longer presentation

CR-MO mechanism and CR-V steel body

This switch gives a three-way working: forward, inlet and backward


Quick release button for socket quick setting on and off

Human engineering design



Ratchet Handle

1/4" 3/8" 1/2" Cr-V 50BV30 DIN 3122 MICRO FINISH NON-SLIP



No.		L mm	H mm	H1 mm	W mm	A mm	g	/
J0101	1/4" Dr.	150	24	12.8	26.8	6.2	145	6/96
J0102	3/8" Dr.	220	32.5	16.8	32.5	9.4	330	6/48
J0103	1/2" Dr.	260	42	21	40	12.5	625	6/36



Don't knock anything by ratchet handle!





Click Adjustable Torque Wrench

1/4" 3/8" 1/2" 3/4" Cr-V ISO 6789 DIN 3122 MICRO FINISH NON-SLIP

No.	▢	TORQUE RANGE		L	TEETH NO.	KG	📦/🚚
B2101	1/4"	2-24N.m	20-200inch/lb	270	CR-V, 24TEETH	0.75	0/2
B2102	3/8"	7-105N.m	5-80ft/lb	365	CR-V, 24TEETH	10.56	0/2
B2103	1/2"	70-350N.m	25-250ft/lb	640	CR-V, 24TEETH	2.6	0/2
B2201	1/4"	4-20N.m	20-100inch/lb	340	CR-V, 24TEETH	1.06	0/2
B2202	3/8"	20~100N.m	10-80ft/lb	440	CR-V, 24TEETH	1.72	0/2
B2203	1/2"	40~200N.m	30-150ft/lb	610	CR-V, 24TEETH	2.5	0/2
B2204	3/4"	150~800N.m	100-60ft/lb	1230	CR-V, 24TEETH	8	0/1



B2101~B2103




B2201~B2204

Click Adjustable Torque Wrench

1/4" 3/8" 1/2" 3/4" 1" Cr-V ISO 6789 DIN 3122 MICRO FINISH NON-SLIP

No.	▢	TORQUE RANGE		TEETH NO.	KG	📦/🚚
B2800	1/4"	1-6N.m	0.7-4.5ft/lb	CR-V, 45TEETH	0.25	1/18
B2801	1/4"	4-20N.m	3-15ft/lb	CR-V, 45TEETH	0.25	1/18
B2802	1/4"	5-25N.m	3.5-18.5ft/lb	CR-V, 45TEETH	0.25	1/18
B2803	3/8"	5-25N.m	3.5-18.5ft/lb	CR-V, 45TEETH	0.33	1/18
B2804	3/8"	10-60N.m	8-45ft/lb	CR-V, 45TEETH	0.33	1/18
B2805	3/8"	20-120N.m	15-90ft/lb	CR-V, 45TEETH	0.19	1/6
B2806	1/2"	10-60N.m	8-45ft/lb	CR-V, 45TEETH	0.33	1/18
B2807	1/2"	20-120N.m	15-90ft/lb	CR-V, 45TEETH	0.19	1/6
B2808	1/2"	40-220N.m	30-160ft/lb	CR-V, 45TEETH	2.25	1/6
B2809	1/2"	60-330N.m	45-245ft/lb	CR-V, 45TEETH	2.33	1/6
B2810	3/4"	100-600N.m	80-450ft/lb	CR-V, 45TEETH	8	1/2
B2811	3/4"	200-800N.m	150-590ft/lb	CR-V, 45TEETH	9	1/2
B2812	1"	500-1500N.m	370-1100ft/lb	CR-V, 45TEETH	10.5	1/2







Don't knock anything by ratchet handle!

Item No: B2601



Ergonomic handle design, handle material for TPR environmental protection rubber, grip comfort and material in line with EU stanards.



Ergonomic handle design. The handle is made of TPR environment-friendly rubber, comfortable to hold and compliant with EU standards.

- The metric inch dual scale design. Enlarge window preset display. Positive accuracy is less than 3% error.
- Tweak window design. setting torque is more precise and intuitive.
- The body of torque wrench is for all metal durable structure.
- The whole body of the wrench is chrome-plated to prevent glare and meet industrial standards.

The ratchet head adopts 45 teeth structure with reversing device to improve working efficiency.

Industry Window Type Torque Wrench

1/4" | 3/8" | 1/2" | Cr-V | ISO 6789 | DIN 3122 | MICRO FINISH | NON-SLIP

No.		TORQUE RANGE		TEETH NO.	
B2601	1/4"	1.5-30 N.m	1.1-11ft/lb	CR-V, 45TEETH	1/16
B2602	3/8"	3-60 N.m	2.2-45ft/lb	CR-V, 45TEETH	1/16
B2603	3/8"	6.8-135 N.m	5-100ft/lb	CR-V, 45TEETH	1/16
B2604	1/2"	6.8-135 N.m	5-100ft/lb	CR-V, 45TEETH	1/16
B2605	1/2"	10-200 N.m	8-160ft/lb	CR-V, 45TEETH	1/16
B2606	1/2"	17-340 N.m	12.5-250ft/lb	CR-V, 45TEETH	1/16







Don't knock anything by ratchet handle!


Item No: B2501



Ergonomic skid proof handle design.

4 LED lights

100% 95% 90% 85%



Buzzer reminding.

45 teeth ratchet head design can be switched operations left and right.

Touch the backlight to light up the screen. Long press for 3 seconds to lock the keyboard.

- Large LCD display, digital display is clear and intuitive.
- Four torque units are available: N.m,in-lb,ft-lb,kg-m.

Digital Type Torque Wrench

1/4" | 3/8" | 1/2" | 3/4" | 1" | Cr-V | ISO 6789 | DIN 3122 | MICRO FINISH | NON-SLIP

No.		TORQUE RANGE		TEETH NO.	
B2501	1/4"	2-12N.m	1.5-9ft/lb	CR-V, 45TEETH	1/16
B2502	1/4"	4-20N.m	3-15ft/lb	CR-V, 45TEETH	1/16
B2503	3/8"	4-20N.m	3-15ft/lb	CR-V, 45TEETH	1/16
B2504	3/8"	6-30N.m	4-11ft/lb	CR-V, 45TEETH	1/16
B2505	3/8"	10-60N.m	8-45ft/lb	CR-V, 45TEETH	1/16
B2506	1/2"	10-60N.m	8-45ft/lb	CR-V, 45TEETH	1/16
B2507	3/8"	20-100N.m	15-80ft/lb	CR-V, 45TEETH	1/16
B2508	1/2"	20-100N.m	15-80ft/lb	CR-V, 45TEETH	1/16
B2509	3/8"	25-125N.m	20-95ft/lb	CR-V, 45TEETH	1/16
B2510	1/2"	25-125N.m	20-95ft/lb	CR-V, 45TEETH	1/16
B2511	1/2"	40-200N.m	30-150ft/lb	CR-V, 45TEETH	1/16
B2512	1/2"	60-330N.m	45-245ft/lb	CR-V, 45TEETH	1/12
B2513	1/2"	80-400N.m	60-295ft/lb	CR-V, 45TEETH	1/1
B2514	3/4"	80-400N.m	60-295ft/lb	CR-V, 45TEETH	1/1
B2515	3/4"	100-550N.m	80-405ft/lb	CR-V, 45TEETH	1/1
B2516	3/4"	60-800N.m	45-590ft/lb	CR-V, 45TEETH	1/1
B2517	3/4"	200-1000N.m	150-740ft/lb	CR-V, 45TEETH	1/1
B2518	1"	300-1500N.m	220-740ft/lb	CR-V, 45TEETH	1/1



8pcs Socket Set

1/4" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



Item No.	P2008M			
1/4" Dr.Deep Socket	5-6-7-8-9-10-12-13mm			
QTY/CTN	CTN SIZE	G.W	20'FCL	40'FCL
10Sets	20x9.5x18cm	2.8KG	81696	93552



9pcs Socket Set

3/8" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



Item No.	P3009M			
3/8" Dr. Socket	8-10-11-12-13-14-16-17-19mm			
QTY/CTN	CTN SIZE	G.W	20'FCL	40'FCL
10Sets	27.5x12.5x20cm	6.3KG	37800	78240

10pcs Socket Set

1/2" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



Item No.	P4010M			
1/2" Dr. Socket	10-11-12-13-14-15-17-19-21-24mm			
QTY/CTN	CTN SIZE	G.W	20'FCL	40'FCL
10Sets	34x14x23cm	13.4KG	15000	16428



12pcs Socket Set

1/2" | Cr-V 50BV30 | DIN 3122 | DIN 3123 | DIN 3124 | MICRO FINISH



Item No.	P4012M			
1/2" Dr. Socket	10-11-12-13-14-15-17-19-21-24mm			
1/2" Dr. Extension Bar	125mm			
Ratchet Handle	1/2" Dr.			
QTY/CTN	CTN SIZE	G.W	20'FCL	40'FCL
10Sets	35x27x22cm	15.5KG	14076	15408

19pcs Socket Set


1/2" | Cr-V 50BV30 | DIN 3124 | DIN 3122 | MICRO FINISH



Item No.	P4019M			
1/2" Dr. Socket	8-9-10-11-12-13-14-15-16-17-19-21-22-23-24-27-30-32mm			
Ratchet Handle	1/2" Dr.			
QTY/CTN	CTN SIZE	G.W	20'FCL	40'FCL
6Sets	38x38x18cm	13KG	4170	7920

1/4"Dr. Socket - 6PT

1/4" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



METRIC No.	Size mm	H mm	L mm	g	
H0101M	4	11.8	25	15	24/240
H0102M	4.5	11.8	25	15	24/240
H0103M	5	11.8	25	15	24/240
H0104M	5.5	11.8	25	15	24/240
H0105M	6	11.8	25	15	24/240
H0106M	7	11.8	25	15	24/240
H0107M	8	11.8	25	15	24/240
H0108M	9	12.8	25	15	24/240
H0109M	10	14.5	25	20	24/240
H0110M	11	15.8	25	20	24/240
H0111M	12	16.8	25	25	24/240
H0112M	13	17.8	25	25	24/240
H0113M	14	19.8	25	30	24/240






Increased Contact Area

1/4"Dr. Deep Socket - 6PT

1/4" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



METRIC No.	Size mm	H mm	L mm	g	
H0401M	4	11.8	50	25	12/240
H0402M	5	11.8	50	25	12/240
H0403M	6	11.8	50	25	12/240
H0404M	7	11.8	50	25	12/240
H0405M	8	11.8	50	25	12/240
H0406M	9	12.8	50	25	12/240
H0407M	10	14.8	50	35	12/240
H0408M	11	15.8	50	40	12/240
H0409M	12	16.8	50	45	12/240
H0410M	13	17.8	50	45	12/240
H0411M	14	19.8	50	55	12/240






Increased Contact Area

1/4"Dr. E Socket

1/4" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH




No.	Size mm	H mm	L mm	g	
H0701M	E4	11.8	25	15	24/240
H0702M	E5	11.8	25	15	24/240
H0703M	E6	11.8	25	15	24/240
H0704M	E7	11.8	25	15	24/240
H0705M	E8	12.8	25	15	24/240




1/4"Dr. Socket - 12PT

1/4" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH




No.	Size mm	H mm	L mm	g	
H1401M	4	11.8	25	15	24/240
H1402M	4.5	11.8	25	15	24/240
H1403M	5	11.8	25	15	24/240
H1404M	5.5	11.8	25	15	24/240
H1405M	6	11.8	25	15	24/240
H1406M	7	11.8	25	15	24/240
H1407M	8	11.8	25	15	24/240
H1408M	9	12.8	25	15	24/240
H1409M	10	14.8	25	20	24/240
H1410M	11	15.8	25	20	24/240
H1411M	12	16.8	25	25	24/240
H1412M	13	17.8	25	25	24/240
H1413M	14	19.8	25	30	24/240





3/8"Dr. Socket - 6PT

3/8" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



METRIC No.	Size mm	H mm	L mm	g	/
H0218M	6	16.8	28	25	12/240
H0219M	7	16.8	28	25	12/240
H0201M	8	16.8	28	25	12/240
H0202M	9	16.8	28	25	12/240
H0203M	10	16.8	28	30	12/240
H0204M	11	16.8	28	30	12/240
H0205M	12	17.8	28	30	12/240
H0206M	13	18.8	28	30	12/240
H0207M	14	19.8	28	35	12/240
H0208M	15	21.8	28	35	12/240
H0209M	16	21.8	28	40	12/240
H0210M	17	23.8	30	50	12/120
H0211M	18	25.8	30	55	12/120
H0212M	19	25.8	30	55	12/120
H0213M	20	27.8	30	60	12/120
H0214M	21	27.8	30	60	12/120
H0215M	22	29.8	30	75	12/120
H0216M	23	31.8	32	85	12/120
H0217M	24	31.8	32	95	12/120






Increased Contact Area

3/8"Dr. Deep Socket - 6PT

3/8" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



METRIC No.	Size mm	H mm	L mm	g	/
H0501M	8	16.8	63	45	6/120
H0502M	9	16.8	63	50	6/120
H0503M	10	16.8	63	50	6/120
H0504M	11	16.8	63	55	6/120
H0505M	12	17.8	63	60	6/120
H0506M	13	18.8	63	60	6/120
H0507M	14	19.8	63	75	6/120
H0508M	15	21.8	63	85	6/120
H0509M	16	21.8	63	80	6/120
H0510M	17	23.8	63	90	6/60
H0511M	18	24.8	63	105	6/60
H0512M	19	25.8	63	110	6/60
H0513M	21	27.8	63	110	6/60
H0514M	22	29.8	63	140	6/60
H0515M	23	31.8	63	165	6/60
H0516M	24	31.8	63	185	6/60






Increased Contact Area

3/8"Dr. E Socket

3/8" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH




No.	Size mm	H mm	L mm	g	/
H0801M	E4	16.8	29	25	12/240
H0802M	E5	16.8	29	25	12/240
H0803M	E6	16.8	29	25	12/240
H0804M	E7	16.8	29	25	12/240
H0805M	E8	16.8	29	25	12/240
H0806M	E10	16.8	29	25	12/240
H0807M	E11	16.8	29	25	12/240
H0808M	E12	16.8	29	25	12/240
H0809M	E14	17.8	29	25	12/240
H0810M	E16	19.8	29	35	12/240
H0811M	E18	21.8	29	50	12/240
H0812M	E20	23.8	29	65	12/120



3/8"Dr. Socket - 12PT

3/8" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH




METRIC No.	Size mm	H mm	L mm	g	/
H1501M	6	16.8	28	25	12/240
H1502M	7	16.8	28	25	12/240
H1503M	8	16.8	28	25	12/240
H1504M	9	16.8	28	25	12/240
H1505M	10	16.8	28	30	12/240
H1506M	11	16.8	28	30	12/240
H1507M	12	17.8	28	30	12/240
H1508M	13	18.8	28	30	12/240
H1509M	14	19.8	28	35	12/240
H1510M	15	21.8	28	35	12/240
H1511M	16	21.8	28	40	12/240
H1512M	17	23.8	30	50	12/120
H1513M	18	25.8	30	55	12/120
H1514M	19	25.8	30	55	12/120
H1515M	20	27.8	30	60	12/120
H1516M	21	27.8	30	60	12/120
H1517M	22	29.8	30	75	12/120
H1519M	24	31.8	32	95	12/120





1/2"Dr. Socket - 6PT

1/2" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



METRIC No.	Size mm	H mm	L mm	g	/
H0301M	8	21.8	38	50	12/240
H0302M	9	21.8	38	50	12/240
H0303M	10	21.8	38	55	12/240
H0304M	11	21.8	38	55	12/240
H0305M	12	21.8	38	55	12/240
H0306M	13	21.8	38	55	12/240
H0307M	14	21.8	38	60	12/240
H0308M	15	21.8	38	55	12/240
H0309M	16	21.8	38	55	12/240
H0310M	17	23.8	38	70	12/240
H0311M	18	24.8	38	80	12/240
H0312M	19	25.8	38	65	12/240
H0313M	20	27.8	38	85	12/240
H0314M	21	27.8	38	80	12/240
H0315M	22	29.8	38	100	12/120
H0316M	23	31.8	40	115	12/120
H0317M	24	31.8	40	105	12/120
H0318M	25	33.8	42	125	12/120
H0319M	27	35.8	42	140	12/120
H0320M	30	39.8	44	170	12/120
H0321M	32	41.8	45	165	12/120






Increased Contact Area

1/2"Dr. Deep Socket - 6PT

1/2" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



METRIC No.	Size mm	H mm	L mm	g	/
H0601M	8	21.8	77	85	6/120
H0602M	9	21.8	77	85	6/120
H0603M	10	21.8	77	95	6/120
H0604M	11	21.8	77	95	6/120
H0605M	12	21.8	77	105	6/120
H0606M	13	21.8	77	110	6/120
H0607M	14	21.8	77	110	6/120
H0608M	15	21.8	77	105	6/120
H0609M	16	21.8	77	100	6/120
H0610M	17	23.8	77	125	6/120
H0611M	18	24.8	77	145	6/120
H0612M	19	25.8	77	130	6/120
H0619M	20	27.8	77	160	6/120
H0613M	21	27.8	77	155	6/120
H0614M	22	29.8	77	195	6/60
H0615M	24	31.8	77	195	6/60
H0616M	27	35.8	77	260	6/60






Increased Contact Area

METRIC No.	Size mm	H mm	L mm	g	/
H0617M	30	39.8	77	280	6/60
H0618M	32	41.8	77	305	6/60

1/2"Dr. E Socket

1/2" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH




No.	Size mm	H mm	L mm	g	/
H0901M	E10	21.8	38	55	12/120
H0902M	E11	21.8	38	55	12/120
H0903M	E12	21.8	38	55	12/120
H0904M	E14	21.8	38	55	12/120
H0905M	E16	21.8	38	60	12/120
H0906M	E18	21.8	39	75	12/120
H0907M	E20	23.8	39	80	12/120
H0908M	E22	25.8	39	95	12/120
H0909M	E24	27.8	39	100	12/120



1/2"Dr. Socket - 12PT

1/2" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH




METRIC No.	Size mm	H mm	L mm	g	/
H1601M	8	21.8	38	50	12/240
H1602M	9	21.8	38	50	12/240
H1603M	10	21.8	38	55	12/240
H1604M	11	21.8	38	55	12/240
H1605M	12	21.8	38	55	12/240
H1606M	13	21.8	38	55	12/240
H1607M	14	21.8	38	60	12/240
H1608M	15	21.8	38	55	12/240
H1609M	16	21.8	38	55	12/240
H1610M	17	23.8	38	70	12/240
H1611M	18	24.8	38	80	12/240
H1612M	19	25.8	38	65	12/240
H1613M	20	27.8	38	85	12/240
H1614M	21	27.8	38	80	12/240
H1615M	22	29.8	38	100	12/120
H1616M	23	31.8	40	115	12/120
H1617M	24	31.8	40	105	12/120
H1618M	25	33.8	42	125	12/120
H1619M	26	33.8	42	140	12/120
H1620M	27	35.8	42	140	12/120
H1621M	28	35.8	44	140	12/120
H1622M	29	39.8	44	155	12/120
H1623M	30	39.8	44	170	12/120
H1625M	32	41.8	45	165	12/120



1/4"Dr. Socket - 6PT

1/4" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



SET No.	Size inch	H mm	L mm	g	/
H0101S	5/32	11.8	25	15	24/240
H0103S	3/16	11.8	25	15	24/240
H0104S	7/32	11.8	25	15	24/240
H0105S	1/4	11.8	25	15	24/240
H0106S	9/32	11.8	25	15	24/240
H0107S	5/16	11.8	25	15	24/240
H0108S	11/32	12.8	25	15	24/240
H0109S	3/8	14.5	25	20	24/240
H0110S	7/16	15.8	25	20	24/240
H0112S	1/2	17.8	25	25	24/240
H0113S	9/16	19.8	25	30	24/240






Increased Contact Area

1/4"Dr. Deep Socket - 6PT

1/4" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



SET No.	Size inch	H mm	L mm	g	/
H0401S	5/32	11.8	50	25	12/240
H0402S	3/16	11.8	50	25	12/240
H0403S	1/4	11.8	50	25	12/240
H0404S	9/32	11.8	50	25	12/240
H0405S	5/16	11.8	50	25	12/240
H0406S	11/32	12.8	50	25	12/240
H0407S	3/8	14.8	50	35	12/240
H0408S	7/16	15.8	50	40	12/240
H0410S	1/2	17.8	50	45	12/240
H0411S	9/16	19.8	50	55	12/240






Increased Contact Area

3/8"Dr. Socket - 6PT

3/8" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



SET No.	Size inch	H mm	L mm	g	/
H0201S	5/16	16.8	28	25	12/240
H0202S	11/32	16.8	28	25	12/240
H0203S	3/8	16.8	28	30	12/240
H0204S	7/16	16.8	28	30	12/240
H0206S	1/2	18.8	28	30	12/240
H0207S	9/16	19.8	28	35	12/240
H0209S	5/8	21.8	28	40	12/240






Increased Contact Area

SET No.	Size inch	H mm	L mm	g	/
H0210S	11/16	23.8	30	50	12/120
H0212S	3/4	25.8	30	55	12/120
H0214S	13/16	27.8	30	60	12/120
H0215S	7/8	29.8	30	75	12/120
H0217S	15/16	31.8	32	95	12/120

3/8"Dr. Deep Socket - 6PT

3/8" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



SET No.	Size inch	H mm	L mm	g	/
H0501S	5/16	16.8	63	45	6/120
H0503S	3/8	16.8	63	50	6/120
H0504S	7/16	16.8	63	55	6/120
H0506S	1/2	18.8	63	60	6/120
H0507S	9/16	19.8	63	75	6/120
H0508S	19/32	21.8	63	85	6/120
H0509S	5/8	21.8	63	80	6/120
H0510S	11/16	23.8	63	90	6/60
H0512S	3/4	25.8	63	110	6/60
H0513S	13/16	27.8	63	110	6/60
H0514S	7/8	29.8	63	140	6/60
H0516S	15/16	31.8	63	185	6/60






Increased Contact Area

1/2"Dr. Socket - 6PT

1/2" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



SET No.	Size inch	H mm	L mm	g	/
H0301S	5/16	21.8	38	50	12/240
H0303S	3/8	21.8	38	55	12/240
H0304S	7/16	21.8	38	55	12/240
H0306S	1/2	21.8	38	55	12/240
H0307S	9/16	21.8	38	60	12/240
H0308S	19/32	21.8	38	55	12/240
H0309S	5/8	21.8	38	55	12/240
H0310S	11/16	23.8	38	70	12/240
H0312S	3/4	25.8	38	65	12/240
H0314S	13/16	27.8	38	80	12/240
H0315S	7/8	29.8	38	100	12/120
H0317S	15/16	31.8	40	105	12/120
H0318S	1	33.8	42	125	12/120
H0319S	1-1/16	35.8	44	140	12/120
H0320S	1-3/16	39.8	45	170	12/120
H0321S	1-1/4	41.8	42	165	12/120






Increased Contact Area

1/2"Dr. Deep Socket - 6PT

1/2" | Cr-V 50BV30 | DIN 3124 | MICRO FINISH



SET No.	Size inch	H mm	L mm	g	/
H0601S	5/16	21.8	77	85	6/120
H0603S	3/8	21.8	77	95	6/120
H0604S	7/16	21.8	77	95	6/120
H0606S	1/2	21.8	77	110	6/120
H0607S	9/16	21.8	77	110	6/120
H0609S	5/8	21.8	77	100	6/120
H0610S	11/16	23.8	77	125	6/120
H0612S	3/4	25.8	77	130	6/120
H0613S	13/16	27.8	77	155	6/120
H0614S	7/8	29.8	77	195	6/60
H0615S	15/16	31.8	77	195	6/60
H0616S	1-1/16	35.8	77	260	6/60
H0617S	1-3/16	39.8	77	280	6/60
H0618S	1-1/4	41.8	77	305	6/60






Increased Contact Area



1/4"Dr. Slotted Bit Socket

1/4" | Cr-V 50BV30 | Cr-V




No.		H mm	L mm	g	/
J0813	SL4	12	37.5	20	20/240
J0814	SL5.5	12	37.5	20	20/240
J0815	SL7	12	37.5	20	20/240



1/4"Dr. Pozidriv Bit Socket

1/4" | Cr-V 50BV30 | Cr-V




No.		H mm	L mm	g	/
J0820	PZ0	12	37.5	20	20/240
J0821	PZ1	12	37.5	20	20/240
J0822	PZ2	12	37.5	20	20/240
J0823	PZ3	12	37.5	20	20/240



1/4"Dr. Phillips Bit Socket

1/4" | Cr-V 50BV30 | Cr-V




No.		H mm	L mm	g	/
J0816	PH0	12	37.5	20	20/240
J0817	PH1	12	37.5	20	20/240
J0818	PH2	12	37.5	20	20/240
J0819	PH3	12	37.5	20	20/240



1/4"Dr. Hexagon Bit Socket


1/4" | Cr-V 50BV30 | Cr-V



No.		H mm	L mm	g	/
J0801	H3	12	37.5	20	20/240
J0802	H4	12	37.5	20	20/240
J0803	H5	12	37.5	20	20/240
J0804	H6	12	37.5	20	20/240
J0805	H8	12	37.5	20	20/240
J0824	H7	12	37.5	20	20/240




1/4"Dr. Torx Bit Socket



No.		H mm	L mm	g	/
J0806	T8	12	37.5	20	20/240
J0807	T10	12	37.5	20	20/240
J0808	T15	12	37.5	20	20/240
J0809	T20	12	37.5	20	20/240
J0810	T25	12	37.5	20	20/240
J0811	T30	12	37.5	20	20/240
J0812	T40	12	37.5	20	20/240
J0825	T27	12	37.5	20	20/240




3/8"Dr. Slotted Bit Socket



No.		H mm	L mm	g	/
J0924	SL3	16.8	50	40	20/240
J0928	SL6.0	16.8	50	40	20/240




3/8"Dr. Pozidriv Bit Socket



No.		H mm	L mm	g	/
J0935	PZ1	16.8	50	40	20/240
J0936	PZ2	16.8	50	40	20/240
J0938	PZ4	16.8	50	40	20/240




3/8"Dr. Phillips Bit Socket



No.		H mm	L mm	g	/
J0931	PH1	16.8	50	40	20/240
J0932	PH2	16.8	50	40	20/240




3/8"Dr. Hexagon Bit Socket



No.		H mm	L mm	g	/
J0901	H3	16.8	50	40	20/240
J0902	H4	16.8	50	40	20/240
J0903	H5	16.8	50	40	20/240
J0904	H6	16.8	50	40	20/240




3/8"Dr. Torx Bit Socket



No.		H mm	L mm	g	/
J0911	T8	16.8	50	40	20/240
J0914	T20	16.8	50	40	20/240
J0916	T27	16.8	50	40	20/240
J0923	T60	16.8	50	40	20/240




1/2"Dr. Hexagon Bit Socket



No.		H mm	L mm	g	/
J1001	H6	22	100	80	10/120
J1003	H8	22	100	130	10/120
J1004	H10	22	100	130	10/120
J1005	H12	22	100	155	10/120
J1006	H14	22	100	155	10/120



1/2"Dr. Hexagon Bit Socket




No.		H mm	L mm	g	/
J1021	T25	22	100	80	10/120
J1022	T30	22	100	80	10/120
J1023	T40	22	100	130	10/120
J1024	T45	22	100	130	10/120
J1025	T50	22	100	155	10/120
J1026	T55	22	100	155	10/120
J1027	T60	22	100	165	10/120



1/2"Dr. Hexagon Bit Socket

1/2" | Cr-V 50BV30 | Cr-V




No.	○	H mm	L mm	g	
J1501	T45	22	55	130	10/120
J1502	T50	22	55	155	10/120
J1503	T55	22	55	155	10/120
J1504	T60	22	55	165	10/120





Spark Plug Socket

1/2" | 3/8" | Cr-V 50BV30 | MICRO FINISH




No.	Size	H mm	L mm	g	
J0501	3/8"x16mm	21.8	63	90	6/120
J0502	3/8"x21mm	27.8	65	125	6/60
J0503	1/2"x16mm	21.8	63	85	6/120
J0504	1/2"x21mm	27.8	65	135	6/60



Bit Coupler

Cr-V 50BV30 | MICRO FINISH




No.	Size	H mm	L mm	g	
J0601	1/2x5/16	24.7	38	75	10/120
J0602	1/2x10	24.7	38	75	10/120
J0603	3/8x1/4	24.7	38	75	10/120
J0604	3/8x5/16	24.7	38	75	10/120
J0605	3/8x10	17.0	38	75	10/120
J0606	1/4x1/4	12.0	24	15	10/120



Adaptor

Cr-V 50BV30 | MICRO FINISH | DIN 3123




No.	Size	H mm	L mm	g	
J0701	1/4Fx3/8M	12.0	25	20	10/120
J0702	3/8Fx1/4M	17.0	27	15	10/120
J0703	3/8Fx1/2M	17.0	35	50	10/120
J0704	1/2Fx3/8M	22.0	34	45	10/120



Universal Joint

1/4" | 3/8" | 1/2" | Cr-V 50BV30 | MICRO FINISH | DIN 3123



No.	Size inch	H mm	L mm	g	
J0401	1/4" Dr.	14.0	38	30	10/120
J0402	3/8" Dr.	18.0	55	75	10/120
J0403	1/2" Dr.	24.8	73	160	10/120



Three Way

DIN 3122 | MICRO FINISH | Cr-V 50BV30






No.	Size inch	L mm	g	
J0705	1/2"	42	75	10/120
J0706	3/8"	32	65	10/120
J0707	1/4"	24	55	10/120

Extension Bar

1/4" | 3/8" | 1/2" | Cr-V 50BV30 | MICRO FINISH | DIN 3123




No.	Size inch	H mm	L mm	g	
J0301	1/4" Dr.	12.3	50	20	24/240
J0302	1/4" Dr.	12.3	75	35	12/240
J0303	1/4" Dr.	12.3	100	45	24/240
J0304	3/8" Dr.	12.3	75	75	24/240
J0305	3/8" Dr.	16.8	150	140	12/120
J0306	3/8" Dr.	16.8	250	240	6/60
J0307	1/2" Dr.	16.8	75	140	12/120
J0308	1/2" Dr.	21.8	125	200	6/60
J0309	1/2" Dr.	21.8	250	395	6/60



Sliding Bar

DIN 3122 | MICRO FINISH | Cr-V 50BV30




No.	Size inch	L mm	g	
J1103	1/4"	115	45	6/120
J1102	3/8"	165	150	6/120
J1101	1/2"	250	355	6/120



Flexible Handle

DIN 3122 | MICRO FINISH | Cr-V 50BV30




No.	Size	L mm	g	
J1203	1/2"x12"	300	740	6/36
J1202	3/8"x10"	255	290	6/54
J1204	1/2"x10"	255	650	6/36



L Handle

DIN 3122 | MICRO FINISH | Cr-V 50BV30






No.	Size inch	L mm	W mm	g	
J1301	1/2"	300	76	575	6/36

Adaptor

1/4" | DIN 3122 | Cr-V 50BV30 | MICRO FINISH





No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	g	
J0201	150	150	85.5	65	28	8	100	6/96



1/2" Spark Plug Socket Set

1/2" | MICRO FINISH | Cr-V 50BV30

Item No.	D4002			
1xSpark Plug Sockets	1/2"Dr.x16mm			
1xSpark Plug Sockets	1/2"Dr.x21mm			
QTY/CTN	CTN SIZE	G.W	20'FCL	40'FCL
36 Sets	200x340x240mm	9.72'KG	61764sets	12794sets



1/4" Exension Bar Set

1/4" | MICRO FINISH | Cr-V 50BV30

Item No.	D2003			
1xSliding Bar	1/4"Dr.x50mm			
1xSliding Bar	1/4"Dr.x75mm			
1xSliding Bar	1/4"Dr.x100mm			
QTY/CTN	CTN SIZE	G.W	20'FCL	40'FCL
24 Sets	365x320x330mm	3.64'KG	17434sets	36114sets



1/2" Extension Bar Set

1/2" | MICRO FINISH | Cr-V 50BV30

Item No.	D4003			
1xSliding Bar	1/2"Dr.x75mm			
1xSliding Bar	1/2"Dr.x125mm			
1xSliding Bar	1/2"Dr.x250mm			
QTY/CTN	CTN SIZE	G.W	20'FCL	40'FCL
36 Sets	365x320x330mm	18.72'KG	26151sets	54171sets



1/2" Universal Joint Set


1/2" | MICRO FINISH | Cr-V 50BV30

Item No.	D5003			
1xSliding Bar	1/4"Dr.			
1xSliding Bar	3/8"Dr.			
1xSliding Bar	1/2"Dr.			
QTY/CTN	CTN SIZE	G.W	20'FCL	40'FCL
36 Sets	300x340x240mm	10.8'KG	61764sets	127941sets



1/2"Impact Socket

1/2" | Cr-MO | MICRO FINISH | DIN 3123




No.	Size mm	H mm	L mm	g	
P0101	8	25	38	60	6/96
P0102	9	25	38	60	6/96
P0103	10	25	38	60	6/96
P0104	11	25	38	60	6/96
P0105	12	25	38	60	6/96
P0106	13	25	38	60	6/96
P0107	14	25	38	70	6/96
P0108	15	25	38	70	6/96
P0109	16	25	38	70	6/96
P0110	17	30	38	75	6/96
P0111	18	30	38	90	6/96
P0112	19	30	38	100	6/72
P0113	20	30	38	120	6/72
P0114	21	30	38	130	6/72
P0115	22	32	38	140	6/72
P0116	23	34	40	140	6/72
P0117	24	34	40	150	6/72
P0118	25	36	40	160	6/72
P0119	26	36	42	180	6/72
P0120	27	38	42	180	6/72
P0121	28	40	42	200	6/72
P0122	29	40	42	250	6/48
P0123	30	42	44	320	6/48
P0125	32	44	44	320	6/48





1/2"Impact Deep Socket

1/2" | Cr-MO | MICRO FINISH | DIN 3123



No.	Size mm	H mm	L mm	g	
P0201	8	25	78	120	6/72
P0202	9	25	78	120	6/72
P0203	10	25	78	120	6/72
P0204	11	25	78	120	6/72
P0205	12	25	78	130	6/72
P0206	13	25	78	140	6/72
P0207	14	25	78	140	6/72
P0208	15	25	78	160	6/72
P0209	16	25	78	180	6/72
P0210	17	30	78	220	6/72
P0211	18	30	78	220	6/72
P0212	19	30	78	240	6/48






No.	Size mm	H mm	L mm	g	
P0213	20	30	78	250	6/48
P0214	21	30	78	260	6/48
P0215	22	32	78	260	6/48
P0216	23	34	78	300	6/48
P0217	24	34	78	320	6/48
P0218	25	36	78	320	6/36
P0219	26	36	78	340	6/36
P0220	27	38	78	360	6/36
P0221	28	40	78	380	6/24
P0222	29	40	78	400	6/24
P0223	30	42	78	450	6/24
P0225	32	44	78	450	6/24

3/4"Impact Socket

3/4" Cr-MO MICRO FINISH DIN 3123




No.	Size mm	H mm	L mm	g	
P0301	17	38	50	200	6/24
P0303	19	38	52	220	6/24
P0304	20	38	52	240	6/24
P0305	21	38	52	260	6/24
P0306	22	38	52	280	6/24
P0307	23	38	52	300	6/24
P0308	24	38	52	320	6/24
P0309	25	38	52	340	6/24
P0310	26	38	52	360	6/24
P0311	27	40	52	380	6/24
P0312	28	42	52	400	6/24
P0313	29	42	53	420	6/24
P0314	30	46	54	440	6/24
P0315	32	48	57	480	6/24
P0316	33	54	57	500	4/16
P0317	34	54	57	520	4/16
P0318	35	55	57	540	4/16
P0319	36	56	57	560	4/16
P0342	37	56	57	580	4/16
P0320	38	56	57	600	4/16
P0323	41	60	57	660	4/16
P0325	43	63	59	700	4/16
P0328	46	66	63	760	2/8
P0331	50	70	69	820	2/8
P0333	54	76	73	900	2/8
P0334	55	77	73	920	2/8
P0338	60	84	76	1020	2/8
P0340	65	89	76	1120	2/8
P0341	70	94	80	1220	2/8





3/4"Impact Deep Socket

3/4" Cr-MO MICRO FINISH DIN 3123




No.	Size mm	H mm	L mm	g	
P0403	19	44	90	700	4/16
P0404	20	44	90	680	4/16
P0405	21	44	90	700	4/16
P0406	22	44	90	700	4/16
P0407	23	44	90	700	4/16
P0408	24	44	90	700	4/16
P0409	25	44	90	700	4/16
P0410	26	44	90	700	4/16
P0411	27	44	90	720	4/16
P0412	28	44	90	720	4/16
P0413	29	44	90	720	4/16
P0414	30	45	90	720	4/16
P0415	32	48	90	760	4/16
P0416	33	50	90	780	2/8
P0417	34	52	90	800	2/8
P0418	35	52	90	820	2/8
P0419	36	54	90	840	2/8
P0420	38	55	90	880	2/8
P0423	41	60	90	900	2/8
P0424	42	62	90	900	2/8
P0425	43	62	90	940	1/4
P0428	46	66	90	940	1/4
P0430	48	68	90	980	1/4
P0431	50	70	90	1000	1/4





1"Impact Socket

1" Cr-MO MICRO FINISH DIN 3123



No.	Size mm	H mm	L mm	g	
P0506	24	54	58	700	4/16
P0507	25	54	58	700	4/16
P0508	26	54	58	700	4/16
P0509	27	54	58	720	4/16
P0510	28	54	58	720	4/16
P0511	29	54	58	720	4/16
P0512	30	54	62	740	4/16
P0513	32	54	62	740	4/16
P0514	33	54	62	740	2/8
P0515	34	54	62	740	2/8
P0516	35	54	62	760	2/8
P0517	36	56	65	780	2/8
P0548	37	56	65	800	2/8
P0518	38	58	65	800	2/8






No.	Size mm	H mm	L mm	g	
P0520	41	60	68.5	900	2/8
P0522	43	62	71	1000	2/8
P0525	46	64	72.5	1000	1/4
P0526	48	72	73	1000	1/4
P0527	50	74	75	1000	1/4

1"Impact Deep Socket

1" Cr-MO MICRO FINISH DIN 3123






No.	Size mm	H mm	L mm	g	
P0609	27	54	90	700	2/8
P0613	32	54	90	700	2/8
P0614	33	54	90	700	2/8
P0617	36	56	90	700	2/8



1/2"Impact Extension Bar

1/2" Cr-MO MICRO FINISH DIN 3123




No.	Size inch	H mm	L mm	g	
P1001	1/2" Dr.	16.8	75	140	6/36
P1002	1/2" Dr.	21.8	125	200	6/36
P1003	1/2" Dr.	21.8	250	395	6/12



3/4"Impact Extension Bar


3/4" Cr-MO MICRO FINISH DIN 3123



No.	Size mm	H mm	L mm	g	
P1009	250	36	250	1000	4/16

1/2"Impact Adaptor

1/2" Cr-MO MICRO FINISH DIN 3123




No.	Size	H mm	L mm	g	
P1008	1/2"(F)-3/8"(M)	35	52.8	175	6/48
P1101	1/2"(F)-3/4"(M)	35	52.8	175	6/48



3/4"Impact Adaptor


3/4" Cr-MO MICRO FINISH DIN 3123



No.	Size	H mm	L mm	g	
P1109	3/4"(F)-1/2"(M)	55	36	1000	4/16
P1110	3/4"(F)-1"(M)	70	54	1000	4/16

1/2"Impact Universal Joint

1/2" Cr-MO MICRO FINISH DIN 3123




No.	Size inch	H mm	L mm	g	
P0903	1/2" Dr.	28	65	160	6/48



3/4"Impact Universal Joint

3/4" Cr-MO MICRO FINISH DIN 3123



No.	Size inch	H mm	L mm	g	
P0904	3/4" Dr.	40	110	1000	4/16

09

WRENCHES


Adjustable Wrenches, Combination Wrenches .....





Adjustable Wrench

Cr-V NON-SLIP




No.	Size inch	H mm	H1 mm	L mm	W mm	W1 mm	A mm	B	g	
B0101	6"	13.5	9.8	158	29	45	19.5	18.5	140	6/120
B0102	8"	17	11.3	208	35	56	24.5	24	270	6/60
B0103	10"	20.5	14	258	42	66	30.5	28.5	440	6/54



Adjustable Wrench

Cr-V NON-SLIP



No.	Size inch	H mm	H1 mm	L mm	W mm	W1 mm	A mm	B	g	
B0104	6"	5.2	11.3	150	18.3	50.5	18.9	20.5	125	12/120
B0105	8"	6.8	13.4	200	24	65	24.9	24.8	255	12/72
B0106	10"	7.6	15.6	250	27.5	77	30.5	30.5	405	12/48
B0107	12"	8	18.9	300	30.6	91	37	36.3	635	6/36
B0108	15"	10	25	375	38	112	45	42	1450	6/24
B0109	18"	11.1	26.7	450	42.2	138.5	50.8	53	1940	1/12
B0110	24"	35	28	615	90	160	67	62	2930	2/4




Sliding Card (B0104-B0106)


Sliding Card (B0104-B0106)



Velcro, bundled, convenient and quick



Oxford cloth production, strong and durable





Four sides of the machine lock, can be hanging holes



HOT SALE

B0908



B0909



B0912



B0915



Adjustable Wrench

Cr-V | DIN 3113 | DIN 838 | DIN 3110 | MICRO FINISH



No.	Name	Content	
B0907	9pcs Combination Wrench	8-10-11-12-13-14-15-17-19mm	1/24
B0908	11pcs Combination Wrench	8-9-10-11-12-13-14-15-17-19-22mm	1/12
B0909	14pcs Combination Wrench	8-9-10-11-12-13-14-15-16-17-18-19-22-24mm	1/12
B0910	23pcs Combination Wrench	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32mm	1/6
B0911	6pcs Double Ring Wrench	8x9,10x11,12x13,14x15,16x17,18x19mm	1/24
B0912	8pcs Double Ring Wrench	6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22mm	1/12
B0913	10pcs Double Ring Wrench	6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22,24x27,30x32mm	1/6
B0914	6pcs Double Open End Wrench	8x9,10x11,12x13,14x15,16x17,18x19mm	1/24
B0915	8pcs Double Open End Wrench	6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22mm	1/24
B0916	10pcs Double Open End Wrench	6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22,24x27,30x32mm	1/12
B0917	14pcs Combination Wrench	10-11-12-13-14-17-19-21-22-23-24-27-30-32mm	1/6
B0918	14pcs Combination Wrench	5/16";3/8";7/16";1/2";9/16";5/8";11/16";3/4";13/16";7/8";15/16";1";1-1/8";1-1/4"	1/6




12-point profile for a high torque without damaging

Unique non-slip textured design

Optimised open end/handle geometry for increased accessibility

Combination Wrench

Cr-V | DIN 3113 | MICRO FINISH




No.	Size mm	H1 mm	H2 mm	L mm	W1 mm	W2 mm	g	
B0201	6	4.5	5.5	110	14.5	11	22	6/120
B0202	7	4.5	5.5	120	16	12	24	6/120
B0203	8	5	6	130	18.5	13.5	26	6/120
B0204	9	5.5	6.5	140	20.5	15	34	6/120
B0205	10	5.5	6.5	150	22.5	16	43	6/120
B0206	11	6	7	160	24	18	49	6/120
B0207	12	6	8	170	26.5	19	63	6/120
B0208	13	6	8.5	180	28	20.5	72	6/120
B0209	14	6	8.5	190	30.5	22	88	6/120
B0210	15	7	9	200	32	23.5	101	6/120
B0211	16	7	10	210	35	25	108	6/120
B0212	17	7.5	10	220	37	26	128	6/120
B0213	18	7.5	10.5	230	39	27.5	145	6/120
B0214	19	8	11	240	41	28.5	167	6/60
B0215	20	8	11	250	42	29	190	6/60
B0216	21	8	11.5	260	44	31	224	6/60
B0217	22	8.5	11.5	270	46	32.5	226	6/60
B0218	23	8.5	12	280	48	34.5	261	6/60
B0219	24	9	12.5	290	50.5	35	281	6/60
B0220	26	9.5	13	310	54	38	313	6/48
B0221	27	9.5	13	320	56.5	39	363	6/48
B0222	28	10	14.5	330	58.5	40.5	430	6/48
B0223	29	10	14.5	340	60	42	470	6/48
B0224	30	10	15.5	350	62	44	512	6/48
B0225	32	11	16	370	66	46	522	6/36



Combination Wrench

Cr-V | DIN 3113 | MICRO FINISH




No.	Size mm	H1 mm	H2 mm	L mm	W1 mm	W2 mm	g	
B0227	34	12	17.4	436	68.5	49.4	960	5/10
B0228	36	12	18.4	461	75.3	53.8	1010	5/10
B0229	38	12	18.4	473	78	55.5	1270	5/10
B0230	41	13.2	20	500	84.6	62.4	170	5/10
B0231	50	16	24	603	98.6	75	2450	2/8
B0232	55	17	25.6	621	108	85	3125	2/2
B0233	60	17.6	26	661	113	89	3040	2/2



Combination Wrench (inch)

Cr-V | DIN 3113 | MICRO FINISH




No.	Size Inch	H1 mm	H2 mm	L mm	W1 mm	W2 mm	g	
B1801	1/4"	4.6	5.5	100.5	15.2	10.5	22	6/120
B1802	5/16"	5.2	5.6	120.5	18.2	13	24	6/120
B1803	3/8"	5.8	6.4	141	21.7	15.5	26	6/120
B1804	7/16"	6.2	6.8	151	23.7	17.5	34	6/120
B1805	1/2"	6.6	7.6	171	27.7	19.5	43	6/120
B1806	9/16"	6.9	8.1	181	30	20.9	49	6/120
B1807	5/8"	7.3	9	201.5	34	24.4	63	6/120
B1808	11/16"	7.5	9.7	212	36	25.9	72	6/120
B1809	3/4"	8.1	10.7	231	40.5	28.9	88	6/120
B1810	13/16"	8.8	11.6	252	45	31.9	101	6/120
B1811	7/8"	9.2	12	262	47	32.9	108	6/120
B1812	15/16"	9.6	12	285	50	34.9	128	6/120
B1813	1"	10	12.5	300	52	36.4	145	6/48
B1814	1-1/16"	10.4	13.7	334	56	38.9	167	6/48
B1815	1-1/8"	10.8	15.3	370	60	41	190	6/48
B1816	1-1/4"	11.4	16.7	409	66	46.4	224	6/36



Double Ring Wrench

Cr-V | DIN 838 | MICRO FINISH




No.	Size mm	H1 mm	H2 mm	L mm	W1 mm	W2 mm	g	
B0301	6x7	5.5	6	170	11	12.5	50	6/120
B0302	8x9	6	6.5	180	14	15.5	60	6/120
B0303	10x11	7.5	8	200	17	18.5	88	6/120
B0304	12x13	8	8.5	220	20	21	102	6/120
B0305	14x15	9.5	10	235	22.5	24	138	6/120
B0306	16x17	10	10.5	255	25.5	26.5	184	6/120
B0307	18x19	10.5	11	270	28	29.5	205	6/60
B0308	20x22	11.5	12	290	30.5	34	283	6/48



No.	Size mm	H1 mm	H2 mm	L mm	W1 mm	W2 mm	g	
B0309	24x27	13	14	325	35.5	40.5	503	6/48
B0310	30x32	15	16	380	44	47	747	6/36
B0311	21x23	12	13	315	31	35	312	6/36
B0312	25x28	14	15	350	37	41	475	6/36

Double Open End Wrench

Cr-V | DIN 3110 | MICRO FINISH




No.	Size mm	L mm	H mm	W1 mm	W2 mm	g	
B0401	6x7	121	4	15	17	27	6/120
B0402	8x9	140	4.5	19	22	42	6/120
B0403	10x11	156	5	23	26	63	6/120
B0404	12x13	171	5.5	27	30	83	6/120
B0405	14x15	180	6	30	33	106	6/120
B0406	16x17	221	6.5	35	38	142	6/120
B0407	18x19	220	7.5	38	42	175	6/120
B0408	20x22	235	7.5	43	48	220	6/120
B0409	24x27	261	8.5	53	58	360	6/48
B0410	30x32	296	9	63	67	520	6/36



Combination Ratcheting Wrench


Cr-V | MICRO FINISH



No.	Size mm	H1 mm	H2 mm	L mm	W1 mm	W2 mm	g	
B1301	8	4.7	7.7	132	21.2	20.2	61	6/96
B1302	9	4.7	7.7	132	21.2	20.2	61	6/96
B1303	10	5.3	8.2	149	25.1	22.1	80	6/96
B1304	11	5.9	8.5	167	27.1	24.1	105	6/96
B1305	12	6.5	9.4	185	31	27.6	140	6/96
B1306	13	6.5	9.4	185	31	27.6	140	6/96
B1307	14	7.1	9.7	202	32	30.5	160	6/96
B1308	15	7.1	9.7	202	32	30.5	160	6/96
B1309	16	7.7	10.8	220	37.9	33.5	220	6/72
B1310	17	7.7	10.8	220	37.9	33.8	220	6/72
B1311	18	8.3	11.3	238	40.9	36.35	275	6/72
B1312	19	8.3	11.3	238	40.9	36.5	275	6/72
B1313	21	8.3	11.8	247	44.6	40.4	330	6/48
B1314	22	8.85	11.8	247	44.6	40.4	330	6/48
B1317	24	9.4	12.3	270	52.5	45.1	420	6/36
B1318	25	9.4	12.3	270	52.5	45.1	420	6/36
B1320	27	10.2	13.1	293	56.6	49.1	525	6/36
B1323	30	11.2	14.1	322	56.6	54.8	525	6/36
B1324	32	12.4	15.8	388	69.4	60	650	6/36



Reversible Gear Wrench




Cr-V | MICRO FINISH | 72T

No.	Size mm	H1 mm	H2 mm	L mm	W1 mm	W2 mm	g	/
B1201	8	4.7	7.7	130	21.2	20.2	61	6/96
B1202	9	4.7	7.7	130	21.2	20.2	61	6/96
B1203	10	5.3	8.2	147	25.1	22.1	80	6/96
B1204	11	5.9	8.5	165	27.1	24.1	105	6/96
B1205	12	6.5	9.4	183	31	27.6	140	6/96
B1206	13	6.5	9.7	183	31	27.6	140	6/96
B1207	14	7.1	9.7	200	32	30.5	160	6/96
B1208	15	7.1	9.7	200	32	30.5	160	6/96
B1209	16	7.7	10.8	218	37.9	33.5	220	6/72
B1210	17	7.7	10.8	218	37.9	33.8	220	6/72
B1211	18	8.3	11.3	236	40.9	36.35	275	6/72
B1212	19	8.3	11.3	236	40.9	36.5	275	6/72
B1213	21	8.3	118	246	44.6	40.4	330	6/48
B1214	22	8.85	11.8	246	44.6	40.4	330	6/48
B1215	24	9.4	12.3	267	52.5	45.1	420	6/36
B1218	25	9.4	12.3	267	52.5	45.1	420	6/36
B1220	27	10.2	13.1	290	56.6	49.1	525	6/36
B1224	32	12.4	15.8	385	69.4	60	650	6/36



Flexible Ratchet Combination Wrench




Cr-V | MICRO FINISH

No.	Size mm	H1 mm	H2 mm	L mm	W1 mm	W2 mm	g	/
B0701	8	4.7	7.7	138	21.2	20.2	73	6/96
B0702	9	4.7	7.7	138	21.2	20.2	73	6/96
B0703	10	5.3	8.2	156	25.1	22.1	96	6/96
B0704	11	5.9	8.5	174	27.1	24.1	116	6/96
B0705	12	6.5	9.4	192	31	27.6	153	6/96
B0706	13	6.5	9.4	192	31	27.6	153	6/96
B0707	14	7.1	9.7	210	32	30.5	200	6/96
B0708	15	7.1	9.7	210	32	30.5	200	6/96
B0709	16	7.7	10.8	229	37.9	33.5	250	6/72
B0710	17	7.7	10.8	229	37.9	33.5	250	6/72
B0711	18	8.3	11.3	247	40.9	36.5	300	6/72
B0712	19	8.3	11.3	247	40.9	36.5	300	6/72
B0714	21	8.3	11.8	258	44.6	40.4	380	6/72
B0715	22	8.85	11.8	258	44.6	40.4	380	6/48
B0717	24	9.4	12.3	268	52.5	45.1	440	6/48
B0718	25	9.4	12.3	268	52.5	45.1	440	6/48
B0719	27	10.2	13.1	290	56.5	49.1	550	6/48
B0720	30	11.2	14.1	317	56.5	54.8	670	6/36
B0721	32	12.4	15.8	383	69.4	60	1050	6/36



L-Type Wrench



Cr-V

No.	Size mm	H mm	B mm	L mm	D mm	A mm	/
B0601	8	13.5	27	110	13.5	18	6/72
B0602	9	14.5	28	115	15	20	6/72
B0603	10	15.5	31	120	16.5	20	6/72
B0604	11	16.5	32	125	18	25	6/72
B0605	12	17.5	34	135	19	26	6/72
B0606	13	19.5	36	145	20	28	6/72
B0607	14	20	42	155	21	30	6/72
B0608	15	21.5	46	185	22	35	6/72



Hinged Socket Wrench




Cr-V | MICRO FINISH

No.	Size mm	D1 mm	D2 mm	L mm	g	/
B0501	8x9	14	14	205	84	6/48
B0502	10x11	17	17	220	120	6/48
B0503	12x13	20	20	230	170	6/48
B0504	14x15	23	23	250	205	6/48
B0505	16x17	25	25	260	300	6/48
B0506	18x19	26	26	282	350	6/48



Flare Nut Wrench




Cr-V | MICRO FINISH

No.	Size mm	B mm	B1 mm	D mm	D1 mm	H1 mm	H2 mm	L mm	g	/
B1101	6x8	18	5	20	6	10	10	123	55	6/120
B1102	10x12	23	8	24	9	11	11	140	80	6/120
B1103	13x14	26	10	28	11	12	12	163	105	6/120
B1104	15x17	30	12	32	14	13	13	177	130	6/120
B1105	19x21	33	15	36	17	12	13	197	160	6/60
B1106	22x24	37	17	40	18	15	16	216	245	6/60



Pipe Wrench




No.	Size inch	A mm	D mm	L mm	H mm	W mm	KG	
B1600	8"	20	40	205	55	15	0.371	0/24
B1601	10"	21	39	235	60	26	0.655	1/12
B1602	12"	23	51	280	70	29	1.035	1/12
B1603	14"	25	51	320	80	33	1.26	1/8
B1604	18"	28	64	405	90	35	1.94	1/4
B1605	24"	30	64	495	100	38	2.48	1/4



T-type Socket Wrench

Cr-V




No.	Size mm	W mm	L mm	g	
B1007	6	200	305	265	12/48
B1001	8	200	305	280	12/48
B1002	10	200	305	285	12/48
B1003	12	200	305	300	12/48
B1006	13	200	305	330	12/48
B1004	17	200	305	350	12/48
B1005	19	200	305	365	12/48

Cross Rim Wrench

Cr-V







No.	Size	D1 mm	D2 mm	D3 mm	L mm	g	
B1051	17x19x21x1/2"Dr	28	27	30	466	1515	5/10

10

SCREWDRIVERS

Screwdrivers, Hex Key, Bits, Precision Screwdrivers .....





FEELING IN HAND

The ergonomic features of series OMC optimised handles for increased comfort

STRONGER THAN INSIDE

Chrome vanadium steel shank, pole after heat treatment chrome, higher strength, anti-rust performance with strong, longer life

FINE AND SHAPE


The stapler head is machined by precision machining, conforms to the ISO standard and is blackened to completely fill the screw size, which effectively prevents the head from slipping off the screw and sucking the screws

MAX-TORGUE

Screwdriver

Screwdriver-Slotted

Cr-V NON-SLIP




No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	g	
D0101	3x0.5x75	150	75	75	21.4	3	25	6/120
D0102	4x0.8x100	175	75	100	21.4	4	60	6/120
D0103	5.5x1x175	175	100	75	28.5	5	60	6/120
D0104	5.5x1x100	200	100	100	28.5	5	65	6/120
D0105	6.5x1.2x38	100	65	35	34	6	65	6/96
D0106	6.5x1.2x100	213	113	100	34	6	100	6/96
D0107	6.5x1.2x125	238	113	125	34	6	105	6/96
D0108	6.5x1.2x150	263	113	150	34	6	135	6/96
D0109	8x1.2x150	275	125	150	37.8	8	165	6/72
D0110	8x1.2x200	325	125	200	37.8	8	180	6/72
D0111	6.5x1.2x200	313	113	200	34	6	150	6/72
D0112	6.5x1.2x250	363	113	250	34	6	165	6/72
D0113	6.5x1.2x300	413	113	300	34	6	180	6/72
D0114	8x1.2x250	375	125	250	34	8	195	6/72
D0115	8x1.2x300	425	125	300	37.8	8	210	6/72



Screwdriver-Phillips

Cr-V NON-SLIP




No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	g	
D0201	PH0x75	150	75	75	21	3	25	6/120
D0202	PH1x75	175	100	75	29	5	60	6/120
D0203	PH1x100	200	100	100	29	5	65	6/120
D0204	PH1x125	225	100	125	29	6	70	6/120
D0205	PH2x38	100	65	35	34	6	55	6/96
D0206	PH2x100	213	113	100	34	6	100	6/96
D0207	PH2x125	238	113	125	34	6	105	6/96
D0208	PH2x150	263	113	150	34	6	135	6/96
D0209	PH3x150	275	125	150	34	8	160	6/72
D0210	PH3x200	325	125	200	38	8	180	6/72
D0211	PH4x200	325	125	200	38	6	185	6/72
D0212	PH2x200	313	113	200	34	6	150	6/72
D0213	PH2x250	363	113	250	34	6	165	6/72
D0214	PH2x300	413	113	300	34	6	180	6/72
D0215	PH3x250	375	125	250	38	8	195	6/72
D0216	PH3x300	425	125	300	38	8	210	6/72



Screwdriver-Pozy

Cr-V NON-SLIP




No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	g	/
D0301	PZ1x75	175	100	75	29	5	29	6/120
D0302	PZ2x100	213	113	100	34	6	34	6/96
D0303	PZ3x150	275	125	150	38	8	38	6/72



Screwdriver-Torx

Cr-V NON-SLIP



No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	g	/
D0401	T10x100	213	113	100	34	6	60	6/96
D0402	T15x100	213	113	100	34	6	100	6/96
D0403	T20x100	213	113	100	34	6	100	6/96
D0404	T25x100	213	113	100	34	6	100	6/96
D0405	T27x100	213	113	100	34	6	100	6/96
D0406	T30x100	213	113	100	34	6	100	6/96
D0407	T40x100	225	125	100	38	8	160	6/72



7pcs Screwdrivers Set

Cr-V

Item No.	D1811			
3xScrewdriver - Slotted		3x0.5x75mm 5.5x1x100mm 6.5x1.2x150mm		
2xScrewdriver - Phillips		PH1, 5x100mm PH2, 6x125mm		
2xScrewdriver - Pozy		PZ1, 5x75mm PZ2, 6x100mm		
QTY/CTN	CTN SIZE	G.W	20' FCL	40' FCL
12 sets	440x400x210mm	8.16kg	9090sets	18831sets






Impact Screwdriver

Impact Screwdriver-Slotted

Cr-V NON-SLIP




No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	A2 mm	g	/
D0801	3.5x0.6x75	175	100	75	28.5	4	10	35	6/96
D0802	5.5x1.0x100	200	100	100	28.5	6	10	70	6/96
D0803	6.5x1.2x125	225	100	125	28.5	6	10	115	6/96
D0804	8.0x1.2x150	260	110	150	34	8	13	170	6/96
D0805	10x1.6x175	285	110	175	34	8	13	185	6/96



Impact Screwdriver-Phillips

Cr-V NON-SLIP




No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	A2 mm	g	/
D0901	PH1x80	180	100	80	29	5	8	75	6/96
D0902	PH2x100	200	100	100	29	6	10	105	6/96
D0903	PH3x150	260	110	150	34	8	13	170	6/96



Impact Screwdriver-Torx

Cr-V NON-SLIP




No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	A2 mm	g	/
D1701	T15x80	180	100	80	29	5	8	75	6/96



Bit Driver

Ratchet Screwdriver-Straight Head

NON-SLIP RATCHET




No.	Size inch	L mm	L0 mm	L1 mm	A mm	A1 mm	g	/
D0501	1/4"Dr.	175	100	62.5	33	10.5	145	6/72



Ratchet Screwdriver-3 Way Head

NON-SLIP RATCHET






No.	Size inch	L mm	L0 mm	L1 mm	A mm	A1 mm	g	
D0601	1/4"Dr.	185	112	73	34	12	185	6/72

Bit Holder Screwdriver

NON-SLIP





No.	Size	L mm	L0 mm	L1 mm	A mm	A1 mm	A2 mm	g	
D0701	1/4"Dr., 6x100mm	215	112	100	33	5.84	9.8	105	6/72





21pcs Bits & Screwdriver Set



Item No.	D1809	
1x Bit Holder Screwdriver	1/4"Dr.x100mm	
20x 1/4" Dr. 25mm(L) Bits	ADA,PH0-1-2-3, SL4-5-6,PZ1-2, T10-15-20-25-27 -30-40,S0-1-2	6/72

1/4"Dr./6.3mm Bits

25mm(L) Bits

S2 NICKEL PLATED 10 PCS



No.	Size inch	g	
N3001	SL4	4	240/1440
N3002	SL5.5	8	240/1440
N3003	SL6.5	9	240/1440
N3202	PH1	4	240/1440
N3203	PH2	8	240/1440
N3204	PH3	9	240/1440
N3602	PZ1	4	240/1440
N3603	PZ2	8	240/1440
N3604	PZ3	9	240/1440

50mm(L) Bits

S2 NICKEL PLATED 10 PCS



No.	Size inch	g	
N3101	SL4	9	240/1440
N3102	SL5.5	11	240/1440
N3103	SL6.5	13	240/1440
N3302	PH1	9	240/1440
N3303	PH2	11	240/1440
N3304	PH3	13	240/1440
N3702	PZ1	9	240/1440
N3703	PZ2	11	240/1440
N3704	PZ3	13	240/1440

75mm(L) Bits

S2 NICKEL PLATED 10 PCS



No.	Size inch	g	
N4204	SL6.5	17	240/960
N4407	T30	25	240/960

100mm(L) Bits

S2 NICKEL PLATED 10 PCS



No.	Size inch	g	
N3902	PH0	17	240/960
N3903	PH1	21	240/960
N4504	T20	25	240/960

HOT SALE

D1801 D1802 D1803 D1804 D1805



Screwdriver Set

Cr-V NON-SLIP




No.	Name	Content
D1801	8pcs screwdriver set	6.5x1.2x38mm,4x0.8x100mm,5.5x1.0x100mm,6.5x1.2x150mm,PH1x100mm PH2x38mm,PH3x150mm,PH2x100mm
D1802	7pcs screwdriver set	6.5x1.2x38mm,3x0.5x75mm,4x0.8x100mm,5.5x1x100mm,6.5x1.2x100mm,6.5x1.2x150mm,8x1.2x200mm
D1803	7pcs screwdriver set	PH2x38mm,PH0x75mm,PH1x100mm,PH2x125mm,PH3x150mm,PH4x200mm,PH2x100mm
D1804	7pcs screwdriver set	T10x100mm,T15x100mm,T20x100mm,T25x100mm,T27x100mm,T30x100mm,T40x100mm
D1805	7pcs screwdriver set	4x0.8x100mm,6.5x1.2x100mm,8x1.2x150mm,PH1x100mm,PH2x100mm,T20x100mm,T25x100mm
D1806	8pcs screwdriver set	4x0.8x100mm,5.5x1.0x100mm,6.5x1.2x150mm,8x1.2x200mm,PH0x75mm PH1x100mm,PH2x125mm,PH3x150mm,
D1807	6pcs impact screwdriver set	5.5x1.0x100mm,6.5x1.2x125mm,8x1.2x150mm,10x1.2x175mm PH2x100mm,PH3x150mm,
D1808	7pcs screwdriver set	3x0.5x75mm,5.5x1.0x75mm,6.5x1.2x125mm,8x1.2x150mm,PZ1x75mm,PZ2x100mm,PZ3x150mm

Precision Screwdriver

Screwdriver Set


Cr-V 45 mm





No.	Contents	
L1803	SL1.5-SL2.0-SL2.5-SL3.0 PH00-PH0	6/48
L1804	T5-T6-T7-T8-T9-T10	6/48
L1805	SL1.5-SL2.0-SL2.5-SL3.0 PH0-PH1	6/48

Cr-V 75 mm





No.	Contents	
L1806	SL1.5-SL3.0 PH000-PH00-PH0-PH1	6/48
L1807	SL1.5-SL2.0-SL2.5-SL3.0 PH00-PH0	6/48
L1808	T5-T6-T7-T8-T9-T10	6/48

5pcs Precision Screwdrever Set

Item No.	PT5			
5pcs	3*90mm Double Head Precision Bits		T2-T3,T4-T5,T6-STAR0.8, Y1.5-PH000,PH00-SL2.0	
1pc	Precision Screwdriver Handle			
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE
24/96	0.7	6.72/7.72	115x68x20mm	460x260x235mm



15pcs Precision Screwdrever Set

Item No.	PT15			
10pcs	4*45mm Precision Bits		SL2.0,T2-5-6-8-9,PH000-0, ★0.8-1.2	
2pcs	Plastic Crowbar			
1pc	Cup Sucker			
1pc	Sim Cards Needle			
1pc	Ratchet Precision Screwdriver			
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE
12/48	0.27	12.96/13.96	180x95x35mm	450x390x305mm



21pcs Precision Screwdrever Set

Item No.	PT21			
20pcs	BITS 4*28mm		SL1.5-3MM,T2-3-4-5-6-7-8-9-10-15, PH000-0-1-2, ★0.8-1.2,U2.3	
1pc	Precision Screwdriver			
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE
24/96	0.24	23.04/24.04	115x68x20mm	460x260x235mm



24pcs Precision Screwdrever Set

Item No.	PT24C			
1pc	Precision Screwdriver			
1pc	Extension bar			
22pcs	BITS 4*28mm		PH000-00-0-1-2,PZ00-0-1,SL1-2-3, H0.9-1.5-2-2.5-3,T6-8-10-15, ★0.8-2	
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE
6/24	0.275	6.6/7.6	185x100x35mm	400x270x240mm



31pcs Precision Screwdrever Set

Item No.	PT31			
30pcs	BITS 4*28mm	PH000-00-0-1-2,PZ00-0-1-2,SL1-2-2.2-3-3.5-4, H0.9-1.3-1.5-2-2.5-3,T3-4-5-6-7-8-910-15		
1pc	Ratchet Handle			
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE
6/48	0.215	10.32/11.32	125x85x35mm	400x300x270mm



21pcs Quick Release Holder&Bits Set

Item No.	PT21B			
1pc	Quick Release Bits Holder			
6pcs	1/4" Dr.sockets	5-6-7-8-9-10mm		
13pcs	BITS 6.35*25mm	PH1-2-3,PZ1-2-3,SL3-4,H4-5 T10-15-20		
1pc	Adaptor	ADA		
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE
6/48	0.285	13.68/14.68	125x85x35mm	400x300x270mm



30pcs Ratchet Handle&Bits Set

Item No.	PT30B			
1pc	L-type Wrench Driver			
1pc	Magnetic Bit Holder			
6pcs	Sockets	5-6-7-8-9-10		
21pcs	BITS 6.35*25mm	PH0-1-2-3,PZ0-1-2-3,SL4-5-6,T10-15-20-25-30-35		
1pc	Adaptor	ADA		
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE
6/24	0.36	8.64/9.64	125x85x35mm	530x340x270mm



27pcs Stubby Ratchet Screwdriver&Bits Set

Item No.	PT27			
1pc	Ratchet Screwdriver			
26pcs	BITS 6.35*25mm	PH0-1-2-3,PZ0-1-2-3,SL3-4-5-6-7, T10-15-20-25-30,H3-4-5-6,S0-1-2-3		
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE
6/48	0.315	15.12/16.12	125x85x35mm	400x300x270mm



29pcs Ratchet Screwdriver Set

Item No.	PT29			
1pc	T-type Driver			
1pc	Ratchet Screwdriver			
1pc	Magnetic Bit Holder			
1pc	Apaptor	ADA		
9pcs	1/4" Dr.sockets	5-6-7-8-9-10-11-12-13mm		
16pcs	BITS 6.35*25mm	PH0-1-2,PZ0-1-2,SL4-5-6,T15-20-25-30		
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE
6/24	0.675	16.2/17.2	220x120x40mm	480x260x230mm





61pcs Ratchet Precision Socket&Bit Tool Set

Item No.	PT61				
32pcs	BITS 6.35*25mm	SL3-4-5-6,PH0-1-2-3,PZ1-2-3,T4-5-6-7-8-9-10-15-20-25-30,H2-2.5-3-4-5-6,Y1,U6, ▲2.3,S1			
1pc	ADA				
16pcs	4-28mm Precision Bits 4*28mm Cr-v Chromium Plated Precision Bits	SL1.5-2-2.5-3,PH00-1-2,T4-5-8-9,U6, ★0.8-1.2,▲2.3,Y2.0			
9pcs	1/4" Dr.sockets	5-6-7-8-9-10-11-12-13			
1pc	Magnetic Bit Holder	60mm			
1pc	Tree-way Ratchet Screwdriver Handle				
1pc	Ratchet Precision Screwdriver Handle				
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE	
6/24	0.78	18.72/19.72	200x130x48mm	370x310x445mm	



42pcs Ratchet Driver&Bits Set

Item No.	PT42			
1pc	Ratchet Driver			
1pc	Precision Screwdriver			
1pc	Magnetic Bit Holder			
1pc	ADA Apaptor	ADA		
8pcs	1/4" Dr.sockets	5-6-7-8-9-10-11-12		
12pcs	BITS 4*28 bits	SL1.5-2-3,PH000-00-0,T6-7-8-10,H1.5-2		
16pcs	BITS 6.35*25 bits	PH1-2-3,SL4-5-6-7,PZ1-2-3,T15-20-25-30,H3-4-5-6		
INNER BOX/CTN	UNIT WEIGHT(KG)	N.W/G.W(KG)	BOX SIZE	CIN SIZE
6/24	0.48	11.52/12.52	180x100x40mm	400x270x240mm



Keys

Torx Key Set

Cr-V



No.	Name	Content	📦/🚚
D2325	9pcs Standard Long Torx Keys Set	T10-T15-T20-T25-T27-T30-T40-T45-T50	6/36
D2326	9pcs Medium Long Torx Keys Set	T10-T15-T20-T25-T27-T30-T40-T45-T50	6/36
D2327	9pcs Extra Long Torx Keys Set	T10-T15-T20-T25-T27-T30-T40-T45-T50	6/24
D2328	9pcs Standard Long Resistorx Keys Set	T10H-T15H-T20H-T25H-T27H-T30H-T40H-T45H-T50H	6/36
D2329	9pcs Medium Long Resistorx Keys Set	T10H-T15H-T20H-T25H-T27H-T30H-T40H-T45H-T50H	6/36
D2330	9pcs Extra Long Resistorx Keys Set	T10H-T15H-T20H-T25H-T27H-T30H-T40H-T45H-T50H	6/24

Hex Key Set

Cr-V DIN ISO 2936



No.	Name	Content	📦/🚚
D2301	10pcs Standard Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8-1/2	6/36
D2302	9pcs Standard Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8	6/36
D2303	10pcs Standard Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10-12mm	6/36
D2304	9pcs Standard Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10mm	6/36
D2321	10pcs Medium Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8-1/2	6/36
D2317	9pcs Medium Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8	6/36
D2322	10pcs Medium Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10-12mm	6/36
D2318	9pcs Medium Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10mm	6/36
D2305	10pcs Extra Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8-1/2	6/24
D2306	9pcs Extra Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8	6/24
D2307	10pcs Extra Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10-12mm	6/24
D2308	9pcs Extra Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10mm	6/24

Hex Key Set with Ball Head

Cr-V DIN ISO 2936 BALL HEAD



No.	Name	Content	📦/🚚
D2309	10pcs Standard Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8-1/2	6/36
D2310	9pcs Standard Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8	6/36
D2311	10pcs Standard Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10-12mm	6/36
D2312	9pcs Standard Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10mm	6/36
D2323	10pcs Medium Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8-1/2	6/36
D2319	9pcs Medium Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8	6/36
D2324	10pcs Medium Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10-12mm	6/36
D2320	9pcs Medium Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10mm	6/36
D2313	10pcs Extra Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8-1/2	6/24
D2314	9pcs Extra Long Sae Hex Keys Set	1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8	6/24
D2315	10pcs Extra Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10-12mm	6/24
D2316	9pcs Extra Long Metric Hex Keys Set	1.5-2-2.5-3-4-5-6-8-10mm	6/24

Hex & Torx Key Set


Cr-V



No.	Size	⚖ g	📦/🚚
D2201	H1.5-H2-H2.5-H3-H4-H5-H5.5-H6	140	6/120
D2202	H5/64-H3/32-H1/8-H9/64-H5/32-H3/16-H7/32-H1/4	140	6/120
D2203	T10-T15-T20-T25-T27-T30-T40	140	6/120

L-Handle Hex Key

Cr-V




No.	Size mm	L0 mm	L1 mm	H mm	W0 mm	W1 mm	A mm	⚖ g	📦/🚚
D1002	3x100	50	100	16.5	81.5	14	3	12	6/96
D1003	4x150	50	100	16.5	81.5	14	4	58	6/96
D1005	6x150	62.5	150	20.5	101.5	17	6	112	6/96






L-Handle Hex Key With Ball Head





No.	Size mm	L0 mm	L1 mm	H mm	W0 mm	W1 mm	A mm	g	
D1101	3x100	50	100	16.5	81.5	14	3	12	6/96
D1102	4x150	50	100	16.5	81.5	14	4	58	6/96
D1103	5x150	50	150	16.5	81.5	14	5	70	6/96
D1104	6x150	62.5	150	20.5	101.5	17	6	112	6/96
D1106	10x200	75	200	24.5	121.5	17	10	200	6/60


L-Handle Torx Key





No.	Size mm	L0 mm	L1 mm	H mm	W0 mm	W1 mm	A mm	g	
D1201	T10x100mm	50	100	16.5	81.5	14	5	15	6/96
D1202	T15x100mm	50	100	16.5	81.5	14	5	20	6/96
D1203	T20x100mm	62.5	100	20.5	101.5	17	6	45	6/96
D1204	T25x150mm	62.5	150	20.5	101.5	17	6	60	6/96
D1206	T30x150mm	62.5	150	20.5	101.5	17	6	100	6/96
D1207	T40x150mm	62.5	150	20.5	101.5	17	6	120	6/96

T-Handle Hex Key





No.	Size mm	L0 mm	L1 mm	H mm	W mm	A mm	g	
D1301	3x100	30	100	14.5	80	3	55	6/96
D1302	4x150	30	150	14.5	80	4	70	6/96
D1303	5x150	38	150	16	100	5	90	6/96
D1304	6x150	38	150	16	100	6	150	6/96
D1305	8x200	38	200	16	100	8	220	6/96

11

PLIERS

Combination Pliers, Long Nose Pliers, Diagonal Cutting Pliers……






Professional Cutting & Gripping Pliers

- **Quality Tool Steel**
- **Precision Machined**
- **Heat Treatment Process**

Industrial Pliers












Industrial Combination Pliers

Cr-V NON-SLIP




No.	Size inch	L mm	H mm	W mm	W1 mm	A1 mm	A2 mm	g	
A0505	7"	187	10.5	57	27	22.5	15	310.0	6/72
A0506	8"	200	11.5	60	30	25	16	380.0	6/72
A0507	6"	162	10	54	23	22	12	200.0	6/72



Industrial Diagonal Cutting Pliers

Cr-V NON-SLIP




No.	Size inch	L mm	H1 mm	W mm	W1 mm	A mm	g	
A0404	6"	170	10.5	60	22.5	22.5	170.0	6/72
A0405	8"	200	11.5	56	25	27	280.0	6/72



Industrial Long Nose Pliers

Cr-V NON-SLIP




No.	Size inch	L mm	H1 mm	W mm	W1 mm	A1 mm	A2 mm	g	
A0304	6"	165	8.5	56	16.5	40	12	170.0	6/72
A0305	8"	200	9.5	70	18.5	50	11.5	280.0	6/72



Industrial Bent Nose Pliers

Cr-V NON-SLIP




No.	Size inch	L mm	H mm	W mm	W1 mm	A2 mm	g	
A0204	6"	165	8.5	56	16.5	11.5	170.0	6/72
A0205	8"	200	9	56	18.5	12	280.0	6/72



General Pliers

Combination Pliers

Cr-V NON-SLIP




No.	Size inch	L mm	H mm	W mm	W1 mm	A1 mm	A2 mm	g	
A0502	6"	165	10.5	62.5	22	13	7.5	240.0	6/72
A0503	7"	180	11.5	62.5	24.5	15	12.5	310.0	6/72
A0504	8"	210	12	62.5	28.5	13	18	380.0	6/72



Diagonal Cutting Pliers

Cr-V NON-SLIP




No.	Size inch	L mm	H1 mm	W mm	W1 mm	A mm	g	
A0402	6"	165	9.5	65	20.5	22	200.0	6/72
A0403	7.5"	195	10.5	70	22.5	27	285.0	6/72



Long Nose Pliers

Cr-V NON-SLIP




No.	Size inch	L mm	H1 mm	W mm	W1 mm	A1 mm	A2 mm	g	
A0302	6"	165	8.5	62.5	18.5	40	11	170.0	6/72
A0303	8"	205	10.5	70	22	52	12.5	280.0	6/72



Bent Nose Pliers

Cr-V NON-SLIP




No.	Size inch	L mm	H mm	W mm	W1 mm	A2 mm	g	
A0202	6"	165	9.5	62.5	18.5	12	180.0	6/72
A0203	8"	200	10	65	22	12	280.0	6/72



Wire Stripping Pliers

C S NON-SLIP




No.	Size inch	L mm	H mm	W mm	W1 mm	g	
A1301	6"	165	9.5	62.5	18.5	200.0	6/72



Groove Joint Pliers

Cr-V | NON-SLIP






No.	Size inch	L mm	H1 mm	W1 mm	W2 mm	A mm	B mm	g	
A1201	8"	200	7	40	30	30	35	280.0	6/72
A1202	10"	250	8.5	42.5	38	35	35	445.0	6/48

Mini Pliers

Combination Pliers

Cr-V | NON-SLIP | MINI






No.	Size inch	L mm	H mm	W mm	W1 mm	A1 mm	A2 mm	g	
A0501	4.5"	115	7.5	57	15.5	13	7.5	85.0	6/120

Diagonal Cutting Pliers

Cr-V | NON-SLIP | MINI






No.	Size inch	L mm	H1 mm	W mm	W1 mm	A mm	g	
A0401	4.5"	115	6.5	56	13.5	12	70.0	6/120

Long Nose Pliers

Cr-V | NON-SLIP | MINI






No.	Size inch	L mm	H mm	W mm	W1 mm	A mm	g	
A0301	4.5"	125	7	56	12.5	21.5	75.0	6/120

Bent Nose Pliers

Cr-V | NON-SLIP | MINI






No.	Size inch	L mm	H mm	W mm	W1 mm	A1 mm	g	
A0201	4.5"	125	6	55.5	11.5	12	80.0	6/120

Flat Nose Pliers

Cr-V | NON-SLIP | MINI






No.	Size inch	L mm	H mm	W mm	W1 mm	g	
A0101	4.5"	125	7	58	12	85.0	6/120

Circlip Pliers

Straight-tip Internal Circlip Pliers

0° | Cr-V | NON-SLIP






No.	Size inch	L mm	H mm	H1 mm	W mm	W1 mm	A mm	g	
A0601	6"	155	9	1.5	57	5.5	36.5	165.0	6/72
A0602	7"	175	10	1.75	62.5	5.5	43.5	215.0	6/72

Tip Internal Circlip Pliers

45° | Cr-V | NON-SLIP






No.	Size inch	L mm	H mm	H1 mm	W mm	W1 mm	g	
A0701	6"	145	9.5	1.5	57	4.5	165.0	6/72
A0702	7"	175	9.5	2	62.5	4.5	210.0	6/72

Tip Internal Circlip Pliers

90° | Cr-V | NON-SLIP






No.	Size inch	L mm	H mm	H1 mm	W mm	W1 mm	g	
A0801	6"	145	9.5	1.5	57	4.5	165.0	6/72
A0802	7"	175	10	2	62.5	4.5	205.0	6/72

Straight-tip External Circlip Pliers

0° | Cr-V | NON-SLIP






No.	Size inch	L mm	H mm	H1 mm	W mm	W1 mm	A mm	g	
A0901	6"	145	9	1.5	57	3.5	35	165.0	6/72
A0902	7"	185	10	2	65	4.5	45	215.0	6/72

Tip External Circlip Pliers

45° | Cr-V | NON-SLIP




No.	Size inch	L mm	H mm	H1 mm	W mm	W1 mm	g	/
A1001	6"	145	8.5	1.5	52.5	3.5	180.0	6/72
A1002	7"	175	9.5	2	65	4.5	210	6/72



Tip External Circlip Pliers

90° | Cr-V | NON-SLIP




No.	Size inch	L mm	H mm	H1 mm	W mm	W1 mm	g	/
A1101	6"	145	8.5	1.5	52.5	3.5	180.0	6/72
A1102	7"	175	9	2	65	4.5	205	6/72



Lock-Grip Pliers

Gurved Jaw Lock-Grip Pliers

Cr-V | NON-SLIP




No.	Size inch	L mm	H mm	W mm	B mm	g	/
A1403	7"	180	10	50.5	25	180.0	6/72
A1404	10"	225	12.5	65	31.5	560.0	6/36



Long Nose Lock-Grip Pliers

Cr-V




No.	Size inch	L mm	H mm	A mm	B mm	E mm	g	/
A1401	6"	165	5	46.5	16.5	39.0	180.0	6/72



Long Nose Lock-Grip Pliers

Cr-V




No.	Size inch	L mm	H mm	A mm	B mm	E mm	g	/
A1402	9"	225	5	65	19.5	52.5	560.0	6/36



C-Type Welding Lock-Grip Pliers

CS | NON-SLIP




No.	Size inch	L mm	H mm	W mm	A mm	B1 mm	B2 mm	g	/
A1408	11"	275	23	137	65	58	119	560	6/24



C-Type Welding Lock-Grip Pliers w/Adjustable Tip

CS | NON-SLIP




No.	Size inch	L mm	H mm	W mm	A mm	B1 mm	B2 mm	g	/
A1409	11"	275	23	137	65	58	119	560	6/24



Welding Lock-Grip Pliers

CS | NON-SLIP




No.	Size inch	L mm	H mm	H1 mm	W mm	A mm	B1 mm	B2 mm	g	/
A1405	10"	220	67	22	70	72	31	11.5	580	4/24



Flat Lock-Grip Pliers

CS | NON-SLIP




No.	Size inch	L mm	H mm	W mm	A mm	B mm	g	/
A1406	10"	245	98	70	45	20	580	3/24



Chain Lock-Grip Pliers

CS | NON-SLIP




No.	Size inch	L mm	H mm	W mm	g	/
A1407	18"	220	19	61.5	560.0	6/24



Diagonal Cutting Pliers

CS | NON-SLIP




No.	Size inch	L mm	H mm	W mm	W1 mm	A1 mm	g	/
A0412	6"	165	9.5	65	20.5	22	200.0	6/72
A0413	7.5"	195	10.5	70	22.5	27	285.0	6/72



Combination Pliers

CS NON-SLIP




No.	Size inch	L mm	H mm	W mm	W1 mm	A1 mm	A2 mm	g	
A0512	6"	165	10.5	62.5	22	13	7.5	240.0	6/72
A0513	7"	180	11.5	62.5	24.5	15	12.5	310.0	6/72
A0514	8"	210	12	62.5	28.5	13	18	380.0	6/72



Long Nose Pliers

CS NON-SLIP




No.	Size inch	L mm	H mm	W mm	W1 mm	A1 mm	A2 mm	g	
A0312	6"	165	8.5	62.5	18.5	40	11	170.0	6/72
A0313	8"	205	10.5	70	22	52	12.5	280.0	6/72



Bent Nose Pliers

CS NON-SLIP




No.	Size inch	L mm	H mm	W mm	W1 mm	A2 mm	g	
A0212	6"	165	9.5	62.5	18.5	12	180.0	6/72
A0213	8"	200	10	65	22	12	280.0	6/72



Combination Pliers

CS NON-SLIP MINI




No.	Size inch	L mm	H mm	W mm	W1 mm	A1 mm	A2 mm	g	
A0511	4.5"	115	7.5	57	15.5	13	7.5	85.0	6/120



Diagonal Cutting Pliers

CS NON-SLIP MINI




No.	Size inch	L mm	H1 mm	W mm	W1 mm	A mm	g	
A0411	4.5"	115	6.5	56	13.5	12	70.0	6/120



Long Nose Pliers

CS NON-SLIP MINI




No.	Size inch	L mm	H mm	W mm	W1 mm	A mm	g	
A0311	4.5"	125	7	56	12.5	21.5	75.0	6/120



Bent Nose Pliers

CS NON-SLIP MINI




No.	Size inch	L mm	H mm	W mm	W1 mm	A1 mm	g	
A0211	4.5"	125	6	55.5	11.5	12	80.0	6/120



Flat Nose Pliers


CS NON-SLIP MINI



No.	Size inch	L mm	H mm	W mm	W1 mm	g	
A0111	4.5"	125	7	58	12	85.0	6/120



Slip Joint Pliers




No.	Size inch	L mm	H mm	W mm	g	
A2501	6"	155	10	50	166.0	6/60
A2502	8"	200	10	55	145.0	6/60
A2503	10"	250	11	63	366.0	6/60



Grommet Setting Tool

A3




No.	Size mm	L mm	H mm	W mm	W1 mm	g	
A2201	175	145	17	68	32	130.0	6/36



Punch Pliers

A3




No.	Size mm	L mm	H mm	W mm	W1 mm	g	
A2301	200	210	20	102	80	235.0	6/36



Tower pincers

Cr-V NON-SLIP




No.	Size mm	L mm	H mm	W mm	g	
A1801	225	235	25	47.5	340	6/36
A1802	250	260	25	50	415	6/24
A1803	275	295	30	55	485	6/24



Carpenter's Pliers

Cr-V NON-SLIP








No.	Size mm	L mm	H mm	W mm	g	
A1701	160	170	20	60	150	6/36
A1702	180	185	25	60	370	6/36
A1703	200	210	25	65	420	6/36

End Cutting Pliers

50 CR-V





No.	Size mm	L mm	H mm	W mm	W1 mm	g	
A2601	175	160	2	40	3	266.0	6/60
A2602	200	200	3	45	4	366.0	6/60

Pliers Set

Cr-V



Item No.	DT4			
1xCombination Pliers	7"			
1xDiagonal Cutting Pliers	6"			
1xLong Nose Pliers	6"			
1xWater Pump Pliers	10"			
QTY/CTN	CTN SIZE	G.W	20' FCL	40' FCL
12 sets	595x390x420mm	14.4kg	3447sets	7141sets

Pliers And Adjustable Wrench Set

Cr-V



Item No.	DT4B			
1xCombination Pliers	7"			
1xDiagonal Cutting Pliers	6"			
1xLong Nose Pliers	6"			
1xAdjustable Wrench	8"			
QTY/CTN	CTN SIZE	G.W	20' FCL	40' FCL
12 sets	595x390x420mm	15.6kg	3447sets	7141sets

12

STRIKING TOOLS

Machinist Hammer, Claw Hammer, Mallet, Punch .....



Hammer

High carbon steel, forged and hardened. Fine finished by polishing. Jacketed design provides overstrike Protection for long life and Increased safety.




The unified LOGO section, to achieve a Better and longer presentation.

x3buffer

Fiberglass handle absorbs shock and vibration. TPR two tones grip, soft and heavy duty. The ergonomic features of series fixman Optimised handles reduces the effects of Torque on wrist and elbow.

Claw Hammer

NON-SLIP FIBRE GRIP






No.	Size OZ	L mm	H mm	A mm	B mm	g	
C0101	8	295	100	23	39	410.0	4/48
C0102	12	325	122.5	27.5	44	590.0	4/32
C0103	16	325	132	30	48.5	720.0	4/24

Rip Claw Hammer

NON-SLIP FIBRE GRIP






No.	Size OZ	L mm	H mm	A mm	B mm	g	
C0401	10	300	120	26	38.5	475.0	4/36
C0402	16	335	145	30	48.5	750.0	4/24

Machinist Hammer

NON-SLIP FIBRE GRIP






No.	Size g	L mm	H mm	A mm	B mm	g	
C0201	300	300	105	23	23	490.0	4/36
C0202	500	330	115	27.5	27.5	695.0	4/24

Ball Pein Hammer

NON-SLIP FIBRE GRIP






No.	Size OZ	L mm	H mm	A mm	B mm	g	
C0301	12	320	91	30	42	610.0	4/24
C0302	16	325	100	32	45	750.0	4/24


Mallet

NON-SLIP FIBRE GRIP





No.	Size mm	L mm	H mm	A mm	g	
C0502	35	300	100	35	475.0	4/24




The head is half-filled with steel balls, the mass of which has sufficient inertia to counteract any tendency to bounce back. After striking, the face of the hammer remains in position, without destructive rebound.



The ergonomic features optimised handles for increased comfort.

Dead-Blow Mallet

NON-SLIP FIBRE GRIP






No.	Size LB	L mm	H mm	A mm	KG	
C0701	1.0	300	100	45	0.720	4/36
C0702	1.5	325	100	50	0.870	6/24
C0703	2.0	345	100	55	1.015	6/24
C0704	2.5	350	110	58	1.285	4/24
C0705	3.0	355	120	62	1.395	4/24

Seldge Hammer

NON-SLIP FIBRE GRIP






No.	Size LB	L mm	H mm	A mm	KG	
C0801	2	360	107	37	1. 190	4/16
C0802	3	365	116	45	1. 630	4/16
C0803	4	370	136	48	2. 055	2/8
C0804	6	880	155	50	3.6	0/4
C0805	8	890	160	60	4.5	0/2
C0806	10	915	180	65	5.49	0/2

Roofing Hammer

NON-SLIP FIBRE GRIP






No.	Size g	L mm	H mm	W mm	KG	
C0910	600	270	35	180	1. 02	4/24



Roofing Hammer

NON-SLIP FIBRE GRIP






No.	Size g	L mm	H mm	W mm	KG	
C0901	600	270	35	180	0.85	4/24

Mason's Hammer

NON-SLIP FIBRE GRIP






No.	Size g	L mm	H mm	W mm	KG	
C1010	600	270	35	180	0.93	4/24

Mason's Hammer

NON-SLIP FIBRE GRIP






No.	Size g	L mm	H mm	A mm	KG	
C1001	600	270	35	180	0.9	4/24

Rubber Hammer

NON-SLIP FIBRE GRIP






No.	Size mm	L mm	H mm	A mm	KG	
C1101	44	260	48	71	0.25	4/24
C1102	50	315	53	78	0.36	4/24
C1103	58	340	64	96	0.6	2/24
C1104	63	340	70	115	0.8	2/18
C1105	72	345	78	124	1.035	2/18

Claw Hammer w/Wooden Handle

NON-SLIP FIBRE GRIP






No.	Size OZ	L mm	H mm	A mm	B mm	g	
C0104	8	290	105	23	40	350	4/48
C0105	12	310	125	27	45	450	4/32
C0106	16	330	135	31	50	670	4/24

Machinist Hammer w/Wooden Handle

NON-SLIP FIBRE GRIP






No.	Size g	L mm	H mm	A mm	B mm	g	
C0203	300	300	105	23	24	420	4/32
C0204	500	320	120	28	27	640	4/24
C0205	1000	360	133	35	37	1135	4/24
C0206	1500	400	143	43.5	45.5	1730	4/24
C0207	2000	420	153	48	50.0	2230	4/16

Ball Pein Hammer w/Wooden Handle

NON-SLIP FIBRE GRIP






No.	Size OZ	L mm	H mm	A mm	B mm	g	
C0303	12	310	92	30	42	485	4/32
C0304	16	310	100	32	45	620	4/32
C0307	24	380	118	34		900	4/24
C0308	32	380	126	38		1060	4/16

Punch & Chisel

Pin Punch

Cr-V NON-SLIP






No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	A2 mm	A3 mm	B mm	g	
M0101	2	175	105	25	33.4	23.5	10	2	31.5	130.0	12/96
M0102	3	175	105	45	33.4	23.5	10	3	31.5	130.0	12/96
M0103	4	175	105	45	33.4	23.5	10	4	31.5	130.0	12/96
M0104	5	200	105	65	33.4	23.5	10	5	31.5	135.0	12/96
M0105	6	200	105	65	33.4	23.5	10	6	31.5	140.0	12/96
M0106	8	200	105	65	33.4	23.5	10	8	31.5	190.0	12/96
M0107	10	200	105	65	33.4	23.5	10	10	31.5	205.0	12/96

Nail Punch

Cr-V NON-SLIP






No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	A2 mm	A3 mm	B mm	g	
M0201	2	175	105	45	33.4	23.5	10	2	31.5	135.0	12/96
M0202	3	175	105	45	33.4	23.5	10	3	31.5	140.0	12/96
M0203	4	175	105	45	33.4	23.5	10	4	31.5	140.0	12/96
M0204	5	200	105	60	33.4	23.5	10	5	31.5	150.0	12/96
M0205	6	200	105	60	33.4	23.5	10	6	31.5	155.0	12/96

Center Punch

Cr-V NON-SLIP






No.	Size mm	L mm	L0 mm	L1 mm	A mm	A1 mm	A2 mm	A3 mm	B mm	g	
M0302	4	175	105	45	33.4	23.5	10	4	31.5	140.0	12/96
M0303	6	175	105	60	33.4	23.5	10	6	31.5	155.0	12/96
M0304	8	200	105	60	33.4	23.5	12	8	31.5	205.0	12/96
M0305	10	200	105	60	33.4	23.5	12	10	31.5	220.0	12/96

Flat Chisel

Cr-V NON-SLIP






No.	Size mm	L mm	L0 mm	A mm	A1 mm	A2 mm	A3 mm	B mm	g	
M0501	12	200	105	33.4	23.5	10	12	31.5	125.0	12/96
M0502	15	200	105	33.4	23.5	10	15	31.5	165.0	12/96
M0503	18	200	105	33.4	23.5	12	18	31.5	215.0	12/96

Cape-Chisel

Cr-V NON-SLIP






No.	Size mm	L mm	L0 mm	A mm	A1 mm	A2 mm	A3 mm	B mm	g	
M0401	6	200	105	33.4	23.5	12	6.7	31.5	205.0	12/96

Wood Working Chisel

Cr-V NON-SLIP






METRIC No.	SAE No.	S mm	S inch	L mm	L0 mm	W mm	W1 mm	g	
M0601	M0612	6	1/4"	275	135.0	35	6	165.0	6/24
M0602	/	8	/	275	135.0	35	8	170.0	6/24
M0603	M0613	10	3/8"	275	135.0	35	10	180.0	6/24
M0604	/	12	/	275	135.0	35	12	180.0	6/24
M0605	M0616	16	5/8"	275	135.0	35	14	200.0	6/24
M0606	/	18	/	275	135.0	35	16	210.0	6/24
M0607	/	20	/	275	135.0	35	18	210.0	6/24
M0608	M0617	25	1"	275	135.0	35	20	230.0	6/24
M0609	M0618	32	1-1/4"	275	135.0	35	25	260.0	6/24
M0610	M0619	38	1-1/2"	275	135.0	35	32	270.0	6/24
M0611	/	50	/	275	135.0	35	38	340.0	6/24

Cold Chisel with Bi-Material Hand Guard

Cr-V NON-SLIP




No.	Size inch	L mm	L0 mm	L1 mm	A mm	A1 mm	A2 mm	g	
M0701	8"	200	118	70	94	38	16	480	6/24
M0702	10"	250	118	120	94	38	16	570	6/24
M0703	12"	300	120	168	94	38	16	650	6/24



Point Chisel with Bi-Material Hand Guard

Cr-V NON-SLIP




No.	Size inch	L mm	L0 mm	L1 mm	A mm	A1 mm	A2 mm	g	
M0801	8"	200	118	70	94	38	16	470	6/24
M0802	10"	250	118	120	94	38	16	560	6/24
M0803	12"	300	120	168	94	38	16	640	6/24



Cold chisel

Cr-V



No.	Size inch	L mm	A mm	g	
M1001	6"	150	16	230	6/24
M1002	8"	200	16	320	6/24
M1003	10"	250	16	410	6/24
M1004	12"	300	16	495	6/24



Point chisel

Cr-V



No.	Size inch	L mm	A mm	g	
M0901	6"	150	16	215	6/24
M0902	8"	200	16	305	6/24
M0903	10"	250	16	390	6/24
M0904	12"	300	16	475	6/24



13

CUTTING TOOLS


Knife, Snips, File, Spatula, Scraper, Hacksaw, Electrician tools……



Knife

Snap off Knife

SELF-LOCK | NON-SLIP | SK5




No.	Size	L mm	H mm	W mm	g	/
E0101	18mm Blade x 3pcs	165	25.8	42	120.0	6/120



Snap off Knife

SELF-LOCK | NON-SLIP | SK5




No.	Size	L mm	H mm	W mm	g	/
E0103	18mm Blade x 1pc	150	20	41	65	6/120



Snap off Knife

SELF-LOCK | NON-SLIP | SK5




No.	Size	L mm	H mm	W mm	g	/
E0110	9mm Blade x 1pc	138	10	11.5	20	12/120



Snap off Knife Blade

SK5




No.	Size	L mm	g	/
E0102	18mm Blade x 10pcs	165	7	20/200



Snap of Knife Blade

SK5




No.	Size	L mm	g	/
E0111	9mm Blade x 10pcs	138	4	20/200



Scraper

SK5




No.	Size mm	L mm	W mm	g	/
F0601	18	75	68	25	12/96



Spatula W/Pear Wood Handle

STAINLESS STEEL




No.	Size inch	L mm	L1 mm	W mm	W1 mm	H mm	H1 mm	g	/
E0401	1"	235	123	25	20	20	1	75	6/120
E0402	1.5"	235	123	38	20	20	1	80	6/120
E0403	2"	235	117	50	20	20	1	85	6/120
E0404	2.5"	235	117	63	20	20	1	85	6/120
E0405	3"	235	117	75	20	20	1	90	6/120
E0406	4"	235	117	100	20	20	1	95	6/120



File



Precision File Set




No.	Size mm	g	/
F0701	3x140	90	12/240



Steel File-half Round



NON-SLIP | T12 STEEL




No.	Size inch	L mm	L0 mm	L1 mm	H mm	W mm	A mm	B mm	g	/
F0102	8"	310	110	200	23	35	20	5.5	165	6/72
F0103	10"	360	110	250	23	35	24	7	205	6/60
F0104	12"	420	120	300	27	40	28	9	315	6/48



Steel File-round

NON-SLIP | T12 STEEL




No.	Size inch	L mm	L0 mm	L1 mm	H mm	W mm	A mm	g	
F0202	8"	310	110	200	23	35	7.5	130.0	6/72
F0203	10"	360	110	250	23	35	9	165.0	6/60
F0204	12"	420	120	300	27	40	12	235.0	6/48



Steel File-triangle

NON-SLIP | T12 STEEL




No.	Size inch	L mm	L0 mm	L1 mm	H mm	W mm	A mm	B mm	g	
F0302	8"	310	110	200	23	35	12	10.4	135.0	6/72
F0303	10"	360	110	250	23	35	15	13	200.0	6/60
F0304	12"	420	120	300	27	40	18	15.6	315.0	6/48



Steel File-square

NON-SLIP | T12 STEEL




No.	Size inch	L mm	L0 mm	L1 mm	H mm	W mm	A mm	g	
F0402	8"	310	110	200	23	35	7.5	130.0	6/72
F0403	10"	360	110	250	23	35	9	165.0	6/60
F0404	12"	420	120	300	27	40	12	235.0	6/48



Steel File-flat

NON-SLIP | T12 STEEL




No.	Size inch	L mm	L0 mm	L1 mm	H mm	W mm	A mm	B mm	g	
F0502	8"	310	110	200	23	35	22	4	160.0	6/72
F0503	10"	360	110	250	23	35	24	5	185.0	6/60
F0504	12"	420	120	300	27	40	26	6	315.0	6/48



Wood File-flat

NON-SLIP | T12 STEEL




No.	Size inch	L mm	L0 mm	L1 mm	H mm	W mm	A mm	B mm	g	
F0602	8"	310	110	200	23	35	21	5.5	160.0	6/72
F0603	10"	360	110	250	23	35	25	7	185.0	6/60
F0604	12"	420	120	300	27	40	30	9	315.0	6/48



Snips

Tin Snips

Cr-V | LEFT CUT




No.	Size mm	L mm	H mm	W1 mm	g	
E0301	250	260	17	58	480.0	6/36



Tin Snips

Cr-V | STRAIGHT CUT




No.	Size mm	L mm	H mm	W1 mm	g	
E0302	250	260	17	58	480.0	6/36



Tin Snips

Cr-V | RIGHT CUT




No.	Size mm	L mm	H mm	W1 mm	g	
E0303	250	260	17	58	480.0	6/36



Snips

Composite Hacksaw

- Easy open lever for quick and easy blade change.
- High tension blade for straight accurate cuts.




No.	Size inch	L mm	H mm	W mm	A mm	g	
K0101	6"	250	87.5	26	32	185.0	6/72



High Tension Hacksaw


- Easy open lever for quick and easy blade change.
- High tension blade for straight accurate cuts.



No.	Size inch	L mm	H mm	W mm	A mm	g	
K0201	12"	415	140	28	37	725.0	4/24



Hack Saw








- Easy open lever for quick and easy blade change.
- High tension blade for straight accurate cuts.

No.	Size mm	L mm	H mm	W mm	A mm	g	
K0205	300	415	135	27	41	465	6/24

Hack Saw








- Easy open lever for quick and easy blade change.
- High tension blade for straight accurate cuts.

No.	Size mm	L mm	H mm	W mm	A mm	g	
K0206	300	385	150	24	34	465	6/24

Hand Saw With Wood

Mn 65 | 7T INCH








No.	Size inch	L mm	H mm	W mm	g	
K0601	16"	500	35	140	435	6/24
K0602	18"	550	35	140	385	6/24
K0603	20"	600	35	140	415	6/24
K0604	22"	650	35	140	460	6/24

Hand Saw

Mn 65 | 7T INCH









No.	Size inch	L mm	H mm	W mm	g	
K0501	16"	500	35	140	435	6/24
K0502	18"	550	35	140	385	6/24
K0503	20"	600	35	140	415	6/24
K0504	22"	650	35	140	460	6/24


Characteristic





Tube Cutter











No.	Size mm	L mm	W mm	A mm	g	
E1001	Φ6~42	165	60	39	325	6/36

PVC Pipe Cutter

Cr-V











No.	Size mm	L mm	W mm	g	
E1002	42	195	90	245	6/24

PVC Pipe Cutter

Cr-V









No.	Size mm	L mm	W mm	g	
E1003	42	225	105	360	6/24

Cable Cutter

Cable Cutter

NON-SLIP

- Forged steel with fully polished;
- Proper heat treatment ensures strong cutting ability, hardness and wearability;
- Notched end for stripping wires;
- For single and multi-strand cables, aluminum and copper cable;
- Maximun cutting range: A1501: 6mm copper cable. A1502: 8mm copper cable.







No.	Size inch	g	
A1501	6"	180.0	6/60
A1502	8"	205.0	6/60

Wire Stripper

CS CE 0.5~6mm²












No.	Size mm	L mm	H mm	W mm	g	/
A1901	170	230	30	110	250	6/24

Automatic Wire Stripper

CS CE 0.6~6mm²












No.	Size mm	L mm	H mm	W mm	g	/
A2001	170	250	35	100	385	6/24

Universal Wire Stripper

CS CE 0.2~6mm² 0.5~6mm² 0.5~6mm²








No.	Size mm	L mm	H mm	W mm	g	/
A2101	210	230	35	135	250	6/24

Wire Stripper

NON-SLIP Cr-V



- Stripping Wire-Adjust tool by loosening slide screw and positioning stop to point
- where cutter only penetrates insulation without cutting wire strands.
- Bending Wire-Insert wire through hole for bending.






No.	Size inch	g	/
A1601	5"	85	12/120

Electricians Scissors

Cr-V








No.	Size inch	L mm	H mm	W mm	g	/
E0803	5.5"	145	80	170	65	6/48

Electricians Scissors

Cr-V

- serrated blades, no fisk of slipping.








No.	Size inch	L mm	W mm	A mm	g	/
E0801	6"	150	70	55	70	6/48

Universal Shears

Cr-V

- serrated blades, no fisk of slipping.








No.	Size inch	L mm	W mm	A mm	g	/
E0802	7"	180	55	55	110	6/24

Electricians Tester

CS CE






No.	Size mm	L mm	H mm	W mm	g	/
Y0302	139	139	14.5	3	15	10/100

Hand Riveter

Hand Riveter

- Spring loaded handle ejects rivet stem;
- Rugged steel construction;
- 4 in 1 blocker no need to change the nosepiece.









No.	Size mm	g	/
Q0202	2.4,3.2,4,4.8	515	4/24

Classic lever-fulcrum design and precisely aligned blades deliver added leverage with less effort .




Ergonomic Anti-slip grips provide greater control and comfort in cutting.



Bolt And Wire Cutter

Cr-V



No.	Size inch	Soft materials	Medium materials	L1 mm	W1 mm	H mm	L mm	W mm	KG	
E0901	12"	Φ 5(mm)	Φ 4(mm)	90	52	26	300	90	0.685	1/12
E0902	14"	Φ 7(mm)	Φ 5(mm)	100	60	26	373	100	0.835	1/10
E0903	18"	Φ 8(mm)	Φ 6(mm)	130	70	34	463	125	1.455	1/6
E0904	24"	Φ10(mm)	Φ 8(mm)	150	84	37	620	145	2.255	1/4
E0905	30"	Φ13(mm)	Φ10(mm)	170	95	44	770	150	3.900	1/3
E0906	36"	Φ16(mm)	Φ12(mm)	190	108	49	915	185	5.245	1/2

C-Clamp


Cr-V



No.	Size inch	g	
Q0101	1"	105	6/120
Q0102	2"	200	6/120
Q0103	3"	435	6/48
Q0104	4"	740	6/24
Q0105	5"	750	6/24
Q0106	6"	1105	6/12
Q0107	8"	1610	4/12
Q0108	10"	2585	4/8

F Clamp With Plastic Handle

CS



No.	Size mm	L mm	H mm	W mm	g	
Q0601	50x100	165	29	90	310	6/36
Q0602	50x200	265	29	90	360	6/36
Q0603	50x300	365	29	90	410	6/36
Q0604	80x200	380	35	120	790	6/12
Q0605	80x300	380	35	120	950	6/12
Q0606	80x500	580	35	120	1000	6/12
Q0607	120x300	395	39	170	1610	4/8
Q0608	120x500	595	39	170	1900	2/4
Q0609	120x800	895	39	170	2300	2/4








Spring Clamp

NON-SLIP PA




No.	Size inch	Amax mm	Bmax mm	Cmax mm	g	
Q0403	3"	84	33	31	30	12/72
Q0404	4"	108	44	42	60	12/48
Q0405	6"	167	68	55	150	6/36
Q0406	9"	227	91	79	300	6/24





Quick Release Clamp

ABS



No.	Size inch	Amax mm	Bmax mm	Cmax mm	g	
Q0501	6"	0-152	141-312	63	530	6/12
Q0502	12"	0-304	141-464	63	660	6/12
Q0503	24"	0-609	141-769	63	770	6/12
Q0504	32"	0-914	141-1074	63	900	6/12










Staple Gun

Q235 Q195






No.	Size mm	L mm	H mm	W mm	g	/
A0502	4~14	160	130	23	580.0	6/36

Single Hand Riveter Wich Aluminum Body

Cr-MO PVC

USES: ALUMINUM STEEL 2.4mm 3.2mm 4.0mm 4.8mm





No.	Size inch	L mm	g	/
Q0205	8"	190	500	5/20

Gecko Riveter

Cr-MO PVC

USES: ALUMINUM STEEL M3 M4 M5 M6






No.	Size inch	L mm	g	/
Q0206	7"	175	430	5/20

Single Hand Nut Riveter Wich Aluminum Body

Cr-MO PVC

USES: ALUMINUM STEEL M3 M4 M5 M6






No.	Size inch	L mm	g	/
Q0207	8"	190	700	0/20

Aluminum Alloy Body Pumping Rod Type Hand Nut Riveter

Cr-MO PVC

USES: ALUMINUM STEEL M3 M4 M5 M6 M8 M10 M12






No.	Size inch	L mm	g	/
Q0701	14"	360	1152	0/6

Aluminum Alloy Body Manual Type Hand Nut Riveter

Cr-MO PVC

USES: ALUMINUM STEEL M3 M4 M5 M6 M8 M10 M12






No.	Size inch	L mm	g	/
Q0702	14"	360	982	0/6

Hand Nut Riveter

Cr-MO PVC

USES: ALUMINUM STEEL M3 M4 M5 M6 M8 M10 M12





No.	Size inch	L mm	g	/
Q0703	17"	440	1500	0/10

Hand Riveter

Cr-MO PVC

USES: ALUMINUM STEEL 2.4mm 3.2mm 4.0mm 4.8mm 6.4mm






No.	Size inch	L mm	g	/
Q0704	12"	300	710	0/20

Hand Riveter

Cr-MO PVC

USES: ALUMINUM STEEL 2.4mm 3.2mm 4.0mm 4.8mm 6.4mm






No.	Size inch	L mm	g	/
Q0705	12"	300	650	0/20

Folding Riveter

Cr-MO PVC

USES: ALUMINUM STEEL 2.4mm 3.2mm 4.0mm 4.8mm 6.4mm





No.	Size inch	L mm	g	/
Q0801	10"	250	1471	0/10